

SCRES

SITKA COMMUNITY RENEWABLE ENERGY STRATEGY
A City and Borough of Sitka Project

GREENHOUSE GAS EMISSIONS INVENTORY

2023
ENERGY BASELINE





FINAL | January 30, 2026

SCRES

SITKA COMMUNITY RENEWABLE ENERGY STRATEGY
A City and Borough of Sitka Project



CITY AND BOROUGH OF SITKA

Mission: *To provide public services for Sitka that support a livable community for all.*

sustainability@cityofsitka.org

ACKNOWLEDGEMENTS

Andrea Mott, Ali Trueworthy, and Molly Grear, of the Pacific Northwest National Laboratory (PNNL), provided research and methodology to support Sitka's requests

Bri Gabel, of the City and Borough of Sitka, provided support on research, methodology, data visualizations, and community engagement

Erik de Jong, of the Sustainability Commission, provided research and methodology on cruise ship emissions

ADVISORY COMMITTEE

City and Borough of Sitka Sustainability Commission

Aurora Taylor, *Chair*

Gerry Hope

Katie Riley, *Vice Chair*

Kevin Mosher, *Assembly Liaison*

Erik de Jong, *Secretary*

Thor Christianson, *Assembly Liaison*

Elizabeth Bagley

Thank you, previous members

THANK YOU TO ALL COMMUNITY MEMBERS WHO CONTRIBUTED INFORMATION & FEEDBACK

A special thank you to those who contributed detailed information for specific emission sources

Sitka Tribe of Alaska
Public Transportation

Alaska Longline

Fishermen's Association

Sitka Dock Company, LLC.
Tourism-Related Ground
Transportation

Kempy Energetics

Alaska Department of

Sitka Rocky Gutierrez Airport
Air Travel

Fish and Game: Sitka Area

Management Division of Sport Fish
Marine Activity

PHOTO CREDITS

Josh Houston, Lee House, Brittany Falch

RECOMMENDED CITATION

City and Borough of Sitka, AK. (2026). *2023 Sitka Greenhouse Gas Emissions Inventory*.

TABLE OF CONTENTS

Description	Page
Figures, Graphs, and Visualizations	i
Tables, Acronyms, and Abbreviations	ii
Units of Measurement and Symbols	iii
EXECUTIVE SUMMARY	1
1. INTRODUCTION TO GREENHOUSE GAS (GHG) EMISSION INVENTORIES	3
What is a GHG Emissions Inventory?	5
Why do you Inventory GHG Emissions?	5
The GHG Emissions Inventory Process	7
2. ABOUT SITKA'S GHG EMISSIONS INVENTORY	13
The Scope of Sitka's Inventory	16
Sitka's GHG Inventory Challenges	17
What is Not Included in Sitka's GHG Emissions Inventory	19
How Sitka's Emissions Were Calculated	21
Limitations	23
Confidence Levels	24
How to Read This Inventory	27
3. SCOPE 1 – DIRECT EMISSIONS	28
Electricity Generation	31
Building Heating	34
Ground Transportation	38
Marine Activity	43
Wastewater Treatment	46
4. SCOPE 2 – INDIRECT EMISSIONS ELECTRICITY	47
5. SCOPE 3 – INDIRECT EMISSIONS	50
Municipal Solid Waste	53
Shipping	54
Air Travel	57
Cruise Ships	61
6. REFERENCES AND APPENDICES	65
A. U.S. Cargo Report Analysis	
B. Vehicle Classifications	
C. Commercial Fishing Analysis	

FIGURES, GRAPHS, AND VISUALIZATIONS

Fig	Description	Page
1	Diagram of the Greenhouse Gas (GHG) Effect	4
2	How GHGs warm the planet- warming potential of different gases	4
3	Common sources of GHG emissions by category	5
4	Example greenhouse gas emissions inventory	5
5	How a GHG emissions inventory can be used to set strategic goals	6
6	Categories and scopes of GHG emissions	8
7	Examples of one metric ton of carbon dioxide equivalent	11
8	Relationship between PNNL, the Sustainability Commission, and the public	15
9	Map approximating sources and boundaries of Sitka's GHG inventory	16
10	Sitka's categories of GHG emissions and the differences	17
11	The carbon cycle and how human activity impacts it	19
12	Kinds of fossil fuels and approximate amounts imported to Sitka	22
13	Explanation of what each section of the GHG emission inventory pages mean	27
14	Sitka's back-up diesel generation emissions from the last 5 years and the average	33
15	How the utility bill analysis can distinguish home-heating types	36
16	Utility bill analysis results between residential and commercial buildings	37
17	Limitations of the utility bill analysis with heat pumps	37
18	Rankings of electric vehicle adoption per 100 people regionally and nationally	30
19	Electric vehicle adoption in Sitka and anticipated growth	39
20	Daily miles traveled by car in Sitka	40
21	Map of the annual average daily traffic stations in Sitka	40
22	Vehicle traffic in Sitka by month	41
23	Average vehicle fuel efficiencies nationally compared to adjustments for Sitka	41
24	Marine vessel uses and their fuel types	44
25	Map of Sitka's electric grid	49
26	Comparison of shipping one pound to Sitka via barge vs air cargo	55
27	The amount of mail/freight in U.S. tons by month in 2023	55
28	Tons of cargo shipped to/from Sitka by barge	56
29	Flight destinations from the Rocky Gutierrez Airport in 2023 categorized by distance	59
30	Map with flight paths from the Rocky Gutierrez Airport and haul-distance	60
31	Types of flights to/from Sitka and their primary purpose	61
32	Boundary for cruise ship emissions to be counted in Scope 3	63
33	Cruise ship power profile modeled to estimate emissions	64

TABLES

Table	Description	Page
1	How GHGs warm the planet- warming potential of different gases	4
2	Definitions of Scopes for cities' GHG emissions with mnemonics	8
3	Timeline of key actions and approvals of Sitka's GHG emissions inventory	15
4	Descriptions of emission sources used in Sitka's inventory	16
5	Pros and cons of using fuel import data vs activity data	21
6	Categories of the confidence level and descriptions	24
7	Summary of confidence levels for all emission sources included in Scope 1	25
8	Summary of confidence levels for all emission sources included in Scope 3	26
9	Heating needs and temperatures in Alaska and Washington compared to Sitka	35
10	Definitions of commodity categories used in the Cargo Report	56
11	Definitions of flight hauls and associated distances	59
12	Types flights to/from Sitka categorized by the Federal Aviation Administration	60

ACRONYMS AND ABBREVIATIONS

AIS Automatic identification system	GWP Global warming potential
AK Alaska	HCFC Hydrochlorofluorocarbon
AR6 6 th assessment report by the IPCC	IPCC Intergovernmental Panel on Climate Change
ATV All-terrain vehicle	HCH Harrigan Centennial Hall
Avg Average	MSW Municipal solid waste
BEV Battery electric vehicle	NHTSA National Highway Traffic Safety Administration
CBS City and Borough of Sitka	N₂O Nitrous oxide
CFC Chlorofluorocarbon	PFC Perfluorocarbon
CH₄ Methane	PHEV Plug-in hybrid electric vehicle
CO₂ Carbon dioxide	PNNL Pacific Northwest National Laboratory
DHW Domestic hot water	STA Sitka Tribe of Alaska
DMV Department of Motor Vehicles	SUV Sport utility vehicle
DOT U.S. Department of Transportation	USACE U.S. Army Corps of Engineers
EIA Energy Information Administration	VEAT Vessel Energy Analysis Tool
ETIPP Energy Technology Innovation Partnership Project	VIN Vehicle identification number
EV Electric vehicle (BEV and PHEV)	vPIC NHTSA's VIN decoder program
FAA Federal Aviation Administration	WA Washington State
FHA Federal Highway Administration	
GHG Greenhouse gas	
GVWR Gross vehicle weight rating	

UNITS OF MEASUREMENT AND SYMBOLS

Numerical Abbreviations

k	1,000, one thousand
M	1,000,000, one million
~	Approximately
> #	Greater than
< #	Less than
≥ #	Greater than or equal to
≤ #	Less than or equal to

Weight, Volume and Distance

g	Gram
kg	Kilogram, 1,000 g 2.2 lb
MT	Metric ton, 1,000 kg
lb	U.S. pound 0.45 kg
ton	U.S. short ton 2,000 lb 0.9 MT
gal	U.S. gallon
mi	U.S. mile

Emissions

MTCO₂e	Metric ton of Carbon dioxide equivalent
GWP	Global warming potential

These units use CO₂ to compare other gases. See details on page 4.

Electricity

kW	kilowatt
MW	Megawatt, 1,000 kW
GW	Gigawatt, 1,000 MW
-Wh	Watt-hour, kWh, MWh, GWh

Building Heating

Btu	British thermal unit, measures energy used for heat
MMBtu	1,000,000 Btu*
sf	Square-foot, measures floor space
°F	Degrees in Fahrenheit, measures temperature

*unlike other units, Btu use different abbreviation prefixes; Mbtu = 1,000 Btu

Watts measure electrical power while watt-hours measure electricity that was used. Think of it as the diameter of a water pipe (W), vs how much water ends up in a bucket (Wh).

Air Travel

RPM	Revenue passenger miles, measures air traffic volume. Represents the number <i>occupied</i> seats and the miles they travel. For example, a plane with 100 passengers that travels 500 miles generates 50,000 RPM. RPM are reported in thousands. 1 RPM = 1,000 mi
ASM	Available seat miles, measures the <i>total number of seats</i> available and the miles they travel, like RPM. Dividing the RPM by the ASM tells you how full a route was. For example, if a plane with 100 seats with only 60 passengers travels 500 miles, it produces 50,000 ASM and 30,000 RPM. That means the flight was 60% full.

Ground Transportation

AADT	Annual average daily traffic, measures traffic volume. Represents the number of vehicles that cross a certain point in either direction each day, over the course of one year.
-------------	--


Cruise Ships

MCR	Maximum continuous rating, measures how much a cruise ship engine is running and is reported as a percentage.
------------	---

IN 2023, SITKA PRODUCED


128,675 MTCO₂e

Metric Tons of Carbon Dioxide Equivalent



Scope 1

33,275 MTCO₂e
EMITTED DIRECTLY



Scope 3

95,399 MTCO₂e
EMITTED INDIRECTLY




**HYDROELECTRICITY REDUCED
SITKA'S EMISSIONS BY**

~110,000 MTCO₂e from ~11M gallons of diesel


↓46%

BY CATEGORY

TRANSPORTATION




INDUSTRY



BUILDINGS




WASTE




ELECTRICITY



BY END USES



EMISSION SOURCE END USES



Numbers are rounded and may not add up exactly.



The backside of the Blue Lake dam

SECTION 1

INTRODUCTION TO GREENHOUSE GAS EMISSION INVENTORIES

INTRODUCTION TO GHG EMISSION INVENTORIES

What are Greenhouse Gases?

Solar radiation from the sun warms the Earth's surface, which in turn releases heat back into the atmosphere. Some of that heat leaves the atmosphere and dissipates into space, but some is absorbed and re-emitted by certain gases in the atmosphere, trapping the heat in the atmosphere. This is known as the *greenhouse effect*¹ (Figure 1).

Greenhouse gases (GHG) are gases that contribute to this heat trapping effect. Many of these gases occur naturally in the atmosphere; however human activities that emit GHGs are responsible for increases in concentrations. This phenomenon is known as *global warming*, which plays a significant role in broader climate changes caused by human activities that rely on fossil fuels.

Not all GHGs are the same. Some GHGs are more effective at trapping heat. GHGs can remain in the atmosphere for different lengths of time, from just a few years to thousands of years. Global Warming Potential (GWP) is used to compare GHGs heat trapping capabilities compared to one ton of CO₂ over 100 years².





Figure 1: The Greenhouse Gas Effect. Increased GHGs means less heat from the sun escapes the atmosphere.



GHG	Chemical Abbreviations	Lifetime in the Atmosphere	Global Warming Potential (GWP)
Carbon dioxide	CO ₂	300-1,000+ years	1
Methane	CH ₄	12 years	28
Nitrous Oxide	N ₂ O	114 years	273
Fluorinated Gases (F-Gases)	CFCs, HCFCs, PFCs	300-10,000+ years	1,000-10,000+

Figure 2 and Table 1: How Greenhouse Gases Warm Our Planet. AR6 values, IPCC Sixth Assessment².

What is a Greenhouse Gas Emissions Inventory?



Figure 3: Common sources of GHG emissions.

GHG emissions inventories consider human activities associated with GHG emissions and estimate the quantity of those emissions from those activities³ (Figure 3). They are a tool to help communities understand where their energy comes from and where it goes. Greenhouse gas inventories can measure the amount of emissions released at any scale, like from a single home, operations of a business, an entire industry, or whole areas based on local, state, or national boundaries.

The amount of energy used and what it is used for is also known as an **energy baseline**. Since most human activities use energy from fossil fuel sources, a common way to estimate energy baselines is by measuring the amount of GHG emitted by human sources within a defined boundary over the course of a year. An example can be found below (Figure 4).




Figure 4: An example of a GHG emissions inventory.

Why do you Inventory Greenhouse Gas Emissions?

Currently, fossil fuels are necessary in our society. While non-fossil fuel sources of energy are becoming more available every day, everyone directly or indirectly requires fossil fuels for daily life. It is important to remember that GHG emission inventories are a snapshot in time and reflect the level of technology available and should inform strategies that enhance energy independence and reduce harm to people and the environment — keeping the focus on solutions, not fault-finding.

GHG inventories serve as an energy baseline for a community and are essential for energy planning. They provide a comprehensive snapshot of local emissions, energy needs, and other information that can help individuals, organizations, and local government leaders prioritize actions and make informed decisions about their energy use. These inventories can be used to identify reduction targets and effective strategies for reducing emissions, they can also track increases and decreases in future emissions (Figure 5).


With a Greenhouse Gas Emissions Inventory, goals can be set and accomplished strategically.



Example Target Goal:

A community that emits 100,000 MTCO₂e every year wants to reduce their overall emissions by 50% by 2050.

The community can try to cut its emissions by 50% equally across all sources...



...or it can strategically target categories that are important to its livelihoods, have available technology, or are easy to reduce.





Figure 5: An example of how GHG emission inventories can be used to set strategic goals.

THE GHG EMISSIONS INVENTORY PROCESS

Since GHG emission inventories are useful for all sorts of purposes. Standards exist to help inventories remain consistent and comparable. Generally, the process to create a GHG emissions inventory is conducted in the following phases and steps:

GHG EMISSION INVENTORY DEVELOPMENT PHASES



SCOPE AND PLAN

1. Define the Purpose, Boundaries, and Timeframe

The purpose of an inventory varies depending on the kind of organization requesting the inventory. Similarly, the boundary of an inventory can range from a single business or industry to a larger community, covering the emissions released by all human activities that occur within the boundaries of a city, town, or county. The team conducting the inventory selects a timeframe, typically a year. Since information necessary for the inventory might take time to be published, the chosen year is often a few years prior to when the inventory is conducted.

2. Choose Methods and Standards

The methodologies used and standards followed should be based on the purpose or specific activities in an inventory, availability of data, and consistency with a country's national inventory and/or other measurement and reporting programs. **The Greenhouse Gas Protocol for Cities** is the most widely used standard and guidance for governments, cities, and corporations for tracking emissions in their jurisdictions³. The protocol includes methodologies and formulas necessary to calculate the total emissions of selected Scopes.

3. Decide the Scope

GHG emissions are commonly classified into three scopes, which are used to help categorize and track emissions (Table 2). **The GHG Protocol for Cities defines those Scopes as:**

Scope	DEFINITION	DIRECT/INDIRECT
Scope 1 <i>BURN</i>	GHG emissions from sources located within the city boundary.	Direct
Scope 2 <i>BUY</i>	GHG emissions occurring due to the use of grid-supplied electricity, heat, steam and/or cooling within the city boundary.	Indirect
Scope 3 <i>BEYOND</i>	All other GHG emissions that occur outside the city boundary as a result of activities taking place within the city boundary.	Indirect

Table 2: Definitions of Scopes for cities' GHG emissions, as defined by GHG Protocol for Cities with descriptions from the World Resources Institute³.

Most community-wide inventories include Scopes 1 and 2, and may include some Scope 3 emissions, depending on the purpose of the inventory and data availability. Frequently, Scope 3 is omitted because there is not enough high-quality data that is readily available. Fortunately, the GHG Protocol allows reporting of GHG emissions in a variety of formats depending on the purpose and audience (Figure 6).

CATEGORIES OF GHG EMISSIONS




Figure 6: Visualization of the three Scopes of GHG emissions, based on Scope and whether they are emitted directly or indirectly. Adapted from the GHG for Cities Protocol³.

Scope 1 *BURN*

Also known as *direct* emissions, Scope 1 emissions include all GHG emissions from the heating and cooling of residential and non-residential building as well as transport of people and freight occurring within a city's boundaries. A shorthand for Scope 1 emissions is *burn*, because it includes things a community burns. **Scope 1 emissions can be broken down further into:**



Stationary combustion: Fuel, like oil and gas, burned in buildings or equipment in the community. Think boilers and other fuel-powered machinery that does not move and is used for industrial processes.



Mobile combustion: Fuel used for vehicles and mobile equipment like cars, trucks, and other gas-powered tools within a geographic boundary.



Fugitive emissions: Refrigeration chemicals released from air conditioning and fire suppression chemicals used in building fire suppression systems or equipment like fire extinguishers.

Scope 2 *BUY*

The shorthand to remember Scope 2 is *buy* because this scope includes emissions from the energy purchased to run things like heating, cooling, and home appliances. These are considered *indirect* emissions because in many communities, electricity is generated from fossil fuel sources, often outside the boundaries of a city and delivered via transmission powerlines. Scope 2 emissions are often one of the biggest emission sources for communities, which is why many strategies emphasize saving electricity or installing renewable generation sources.

Scope 3 *BEYOND/BENEFIT*

Scope 3 emissions are *indirect* emissions from activities that support a community but are not necessarily within a community's boundaries. That is why they are emissions *beyond* the control of a community but still *benefit* the community. Scope 3 emissions are the most challenging to find good data for calculations, are challenging to regulate, and are therefore often excluded in GHG emissions inventories. However, understanding Scope 3 emissions help community members make informed decisions about their daily lives. The extent of inclusion of Scope 3 emissions depends on the purpose of the inventory.

Scope 3 emissions can be further categorized into:



Upstream emissions come from moving a good or person to a place, or the emissions in creating a product.



Downstream emissions come from disposing of a product or moving people from a place.

COLLECT DATA AND QUANTIFY EMISSIONS

4. Collect Information

Information on energy use in the residential, commercial, and industrial sectors, as well as solid waste, water use and treatment, as well as transportation occurring within the defined boundary are collected from a variety of sources. However, in some cases, data is not available for all sectors. Depending on the scale and Scope needed, government agencies, researchers or other organizations work with a variety of local partners. Such partners may include local utilities, regional transit authorities, and local businesses to collect data to create estimates.

5. Create Informed Assumptions to Fill Data Gaps

Data gaps frequently occur in GHG emissions inventories, especially for larger-region inventories and Scope 3 emissions where data availability is less consistent or boundaries are less clear. In these cases, **assumptions**, or numbers derived from available information and research, are used to fill data gaps. Assumptions in GHG reports are common, especially for harder-to-track sectors, such as marine and air travel. Fortunately, GHG inventories are a living document and can be updated as new information or more accurate data becomes available. This inventory should be updated accordingly.

6. Calculate Emissions Using Emission Factors

Once all the information is gathered, the total emissions can be calculated based on either the quantity of fuel used in an area, estimated amount of activity, or a combination of both. Since not all fuels produce the same amount or kind of emissions and the fuel efficiency can vary from activity to activity, emission factors are used. **Emission factors**, or emissions per activity unit, are numbers published by the U.S. Environmental Protection Agency's (EPA) and can be found on the EPA GHG Factor Hub⁴. These emissions factors may be occasionally updated as more scientific research is done.

7. Validate Estimations

Since almost all data sources and activity data have limitations, comparing multiple forms of data helps improve the accuracy of the inventory. By cross-referencing estimations with multiple sources, areas of improvement can be identified, further researched, and updated to better reflect reality. In many cases, data validation includes a combination of research and community input and requires back and forth collaboration to determine a reasonable level of accuracy. The accuracy of an estimate is indicated by a level of confidence (see page 24). Estimates with high confidence are considered very accurate while estimates with lower confidence may benefit from some updates which may or may not significantly change the estimate.

REPORT, UPDATE, AND TRACK PROGRESS

8. Report Emissions Findings

Emissions are reported in *metric tons of carbon dioxide equivalent (MTCO₂e)*, which is the standard unit for GHG emission reports. Since some GHGs are more effective at trapping heat and remain in the atmosphere for longer periods of time, the Intergovernmental Panel on Climate Change (IPCC), publishes conversions of all GHGs to the global warming potential of one metric ton of carbon dioxide (CO₂) over 100 years². By converting all GHG to MTCO₂e, other GHGs like methane (CH₄), and nitrous oxide (N₂O) can be compared side-by-side (Figure 7). This also has the benefit of enabling comparison between emissions categories that emit different kinds gases either within the inventory or with other GHG emission inventories.

**ONE METRIC TON OF CARBON DIOXIDE (MTCO₂e)
has the same global warming potential as:**




Figure 7: Examples of one Metric Ton of Carbon dioxide equivalent.

9. Use the GHG Inventory to Set Goals

GHG emission inventories are a tool that provides a comprehensive snapshot where energy comes from and where it goes. Since a GHG emission inventory is a tool, it does not include recommendations for action. However, the information in the inventory can help individuals, organizations, and local government leaders prioritize actions and make informed decisions about their energy use. It can be used to identify reduction targets and effective strategies for reducing emissions and track increases and decreases in future emissions.

10. Update and Track Progress on Goals

GHG inventories are a living document and can be updated as new information or more accurate data becomes available. This inventory should be updated accordingly. Additionally, once goals are set, updating the inventory helps track progress on meeting those goals. The frequency of the updates typically ranges between every five to ten years and should be determined based on the kinds of goals set and when a community hopes to accomplish them.





Panorama of the Blue Lake Hydroelectric Project

SECTION 2

ABOUT SITKA'S GREENHOUSE GAS EMISSION INVENTORY

ABOUT SITKA'S GHG INVENTORY

The purpose of this inventory is to **quantify GHG emissions for the entire community and serve as an energy baseline for Sitka**. It can be used for future energy planning efforts, goal identification, and progress tracking for emission reduction, improving energy independence, or simply better understanding how Sitka uses energy. As an energy baseline, this document does not make any policy recommendations.

Based on available data, the chosen **baseline year for Sitka's inventory is 2023**, though some data sources are from 2021 or 2022. While the best available information was used at the time of this report, amounts, figures, and statistics can be updated as new data become available.

Who Prepared Sitka's Greenhouse Gas Emissions Inventory?

Sitka's GHG emissions inventory was prepared as part of the City and Borough of Sitka's (CBS) Sitka Community Renewable Energy Strategy (SCRES) project, supported by the 2023 cohort of the Department of Energy's Energy Technology Innovation Partnership Project (ETIPP), focused on aiding remote and islanded communities that are interested in creating a more reliable, affordable, and efficient energy system. Through ETIPP, CBS partnered with the Pacific Northwest National Laboratory (PNNL). Throughout the process, PNNL was guided and advised by the CBS Sustainability Commission to ensure the inventory accurately reflected the unique needs of Sitka and that assumptions were based on local data that was as accurate as possible.

In this report, the term "Sitka" indicates the community at large, "CBS" indicates the local municipality which includes the municipally owned electric utility, and "Sitka Sustainability Commission" indicates the group of local community members appointed to a city board to advise CBS on matters of sustainability.

How Was Sitka's GHG Emissions Inventory Conducted?

Sitka's GHG emissions inventory was conducted iteratively over two years following the Greenhouse Gas Protocol for Cities with modifications to better capture the nuances of an islanded community like Sitka. Throughout the process, PNNL was guided and advised by the CBS Sustainability Commission and public comment to ensure the inventory accurately reflected the unique needs of Sitka and that assumptions were based on local data that was as accurate as possible (*Figure 8 and Table 3*).



Photo of a Sustainability Commission meeting with PNNL

Sitka's GHG Inventory was Built Iteratively and Collaboratively




Figure 8: The working relationship between PNNL, the Sustainability Commission, and the public.

Key Actions and Approvals

2023	Oct	Presented GHG emission inventory standard practices and methods to the Commission
	Nov	Reviewed draft inventory Scope Provided feedback on emission sources of importance to Sitka
	Dec	Approved SCRES Scope with Sitka-specific GHG emission sources
2024	Jan	Collected information and drafted methods
	May	Approved timeframe and Scope 1 emission methods
	Jun	Review and advised on draft Scope 3 emission methods
	Aug	Approved Scope 3 emission methods
	Nov	Draft GHG emission inventory released
	Dec	Gave feedback on draft GHG emissions inventory First round of public comment
2025	Jan	Commissioner and public comment integrated into updated inventory
	Dec	Updated draft released
		Second round of public comment
2026	Jan	Final recommendations on GHG emissions inventory Final GHG emissions inventory released

Table 3: Timeline of actions and steps to prepare this inventory.

THE SCOPE OF SITKA'S INVENTORY



EMISSION SOURCES INCLUDED IN SITKA'S GHG INVENTORY

Scope 1 GHG emissions from sources located within the **city boundary**



Electricity Generation – Backup Diesel Generation



Building Heating – Residential and Commercial



Ground Transportation – Cars, Trucks, Buses, Motorcycles, etc.



Marine Activity – Commercial Fishing; Recreational and Charter Boats



Wastewater Treatment – Year-Round Residents and Visitors

Scope 2 GHG emissions occurring due to the use of grid-supplied electricity, heat, steam and/or cooling within the city boundary.
NOT APPLICABLE

Scope 3 All other GHG emissions that occur outside the city boundary as a result of activities taking place within the **city boundary**



Shipping – Tons of Material to/from Sitka via Barge and Aircraft



Soild Waste Disposal – Tons of Waste and Recycling Decomposing in a Landfill



Air Travel – Commercial Travel, Seaplanes, Helicopters, Small Personal Planes



Cruise Ships – Ship Maneuvering while in Sitka and in port

Figure 9 & Table 4: Map approximating sources and boundaries of Sitka's GHG inventory and table with descriptions.

SITKA'S GHG INVENTORY CHALLENGES



Sitka does not have clear boundaries for some emission sources

As a remote, islanded community, Sitka does not have clear boundaries that are typically used in GHG emission inventory methods (Figure 10). While land-based emissions are much easier to calculate as the sources have clear boundaries, many Scope 3 sources are minimally included or excluded in community-wide inventories, but for islanded communities, the role of Scope 3 emissions sources are critical and important to understand and include. Sitka's emissions sources are not necessarily confined to its land and Sitka is generally more reliant on indirect, Scope 3 sources.

Indirect, Scope 3 emissions presented a set of challenges for creating an inventory that is representative of Sitka's unique lifestyle while remaining helpful, accurate, and not overly broad. To address this, many boundaries used for Sitka were created based on the emission source, available information, and community context provided by the Sustainability Commission and by the public.




Figure 10: Sitka's categories of GHG emissions differ from standard methodologies.

SITKA'S GHG INVENTORY CHALLENGES, CONTINUED



Sitka is only accessible by plane or boat.

As an islanded community, residents and visitors can only arrive by plane or boat. As Scope 3 sources, these emissions are difficult to calculate as they are often linked to information that is considered proprietary and not publicly available.



Sitka relies on shipping for goods and waste disposal.

Since nearly all goods arrive in Sitka via barge, these emissions are important to include in the inventory. However, there is no standard way to calculate this.

Similarly, Sitka does not have a landfill that accepts most municipal solid waste. Instead, waste is shipped south to Seattle, where it is then taken to the Roosevelt landfill in Southeastern Washington.



Sitka is not connected to a regional electric grid.

All electricity used in Sitka is generated locally by the Blue Lake and Green Lake Hydroelectric Projects, which means electricity generation falls in Scope 1, not Scope 2. There is no connection to a larger regional grid, so Scope 2 does not apply to Sitka. Nearly 100% of electricity in Sitka is renewable and does not emit greenhouse gases. That is good for the total emissions in Scope 1 and means Scope 2 does not apply. In many community GHG emissions inventories, Scope 2 is the largest contribution to the total emissions, depending on the available renewable energy resources.

What does Sitka's GHG Emissions Inventory NOT Include?



Natural Process that Emit or Absorb Greenhouse Gases

GHG emission inventories are designed to capture emissions from unintentional human behavior. As such, this inventory does not include natural processes like trees removing CO₂ from the atmosphere (carbon sequestration) or other non-human emission sources such as decomposition of materials or other natural processes. (Figure 11) The Tongass National Forest stores the most carbon of any U.S. National Forest⁶.

While various policies and practices have established ways of quantifying and crediting individuals or organizations for reforestation or forest protection, these methods of crediting are not standard in greenhouse gas inventories. This is especially true when the land in question is not managed or designed intentionally for carbon sequestration. In short, we do not credit Sitka for what the trees do, but that's okay!




Figure 11: The carbon cycle (yellow) is a naturally occurring process that influences the climate. Human activity is currently adding more carbon than the cycle can handle, increasing the amount of carbon in the atmosphere which warms the planet. Graphic by University of California Berkley Museum of Paleontology.



Fugitive Refrigerant Emissions

Refrigerants are fluorinated gases (F-gases) that, for the most part, are created by humans and do not occur in nature. Many residential and industrial technologies use refrigerants in refrigerators, air conditioners, industrial ice production facilities, and data centers. Due to the high warming potential (GWP) of refrigerants and the length of time they remain in the atmosphere, the small volume of direct emissions that are released accounts for approximately 1% of U.S. emissions⁷ (Table 1 and Figure 2). In theory, refrigerants can be collected from machinery and reused, however this does not often happen because the costs of recovering refrigerants currently outweigh the potential revenue from resale.

Global Warming Potential of GHGs




Table 1 & Figure 2: How Greenhouse Gases Warm Our Planet. AR6 values, IPCC Sixth Assessment².

Refrigerant emissions are not included in this inventory, primarily due to the difficulty and uncertainty of quantifying those emissions. Ideally, a refrigerant is contained within the technology where it exists. However, technologies using refrigerants are prone to leakage or improper disposal, which leads to the refrigerants being released into the atmosphere. This leakage is the main source of direct emissions and therefore is extremely difficult to quantify and track.

That said, refrigerants are still abundant in Sitka, especially in the technologies used by the seafood processing industry. Any steps taken to make seafood processing more efficient or to prevent refrigerant leakage in the industry could lead to decreased emissions. Similarly, the shipping of goods that require refrigeration is another major source of refrigerant emissions. After fishing vessels, refrigerated bulk carriers are responsible for the highest amount of refrigerant emissions for refrigeration (but not for air conditioning) compared to other ships globally⁸. In 2018, refrigerated containers accounted for 18.2 million MTCO₂e worldwide.

HOW SITKA'S EMISSIONS WERE CALCULATED

Throughout the process of conducting this inventory, the technical experts worked to find the best available data to create estimates for each emission source. In addition to guidance from the Greenhouse Gas Protocol for Cities³, calculations were shaped by feedback from the Sustainability Commission and public input. Assumptions were iterated upon to improve the estimates as new information became available, and they were validated as much as possible through comparison with available data.

In General, Two Kinds of Data Were Used to Create Estimates

Fuel imports were used to calculate the quantity of emissions from different fuel types that arrive in Sitka and **activity data** was used to break down how that fuel was used in Sitka by sectors and sub-sectors. Breaking fuel and emissions down into finer resolution categories helps determine which policy mechanisms or community actions could have the highest impact to achieve goals.

FUEL IMPORTS		ACTIVITY DATA	
PROS	<ul style="list-style-type: none"> Quantifies different types of fuels Works well for land-based emission sources 	PROS	<ul style="list-style-type: none"> Uses well researched emission factors for each fuel type Activities like wastewater treatment have standardized calculations Customizable for specific sources
CONS	<ul style="list-style-type: none"> Doesn't specify what the fuel types are used for Can be inconsistent year-to-year Doesn't account for fuels brought in from other locations ex. a boat refueled in Juneau and traveling to Sitka 	CONS	<ul style="list-style-type: none"> Requires additional information to determine accurate activity levels, especially for small communities Some necessary information is not publicly available, especially if it is related to a business's operations

Table 5: Pros and cons of using fuel import data vs activity data.

FUEL IMPORTS

U.S. Army Corps of Engineers' (USACE) 2022 5-Year Cargo Report for Sitka Harbor⁹ is a record of all shipments in and out of the city, including fuels, which are broken into categories of gasoline, kerosene, distillate fuel oil, residual fuel oil, hydrocarbons and petrol gases, and "petro products" not elsewhere counted (NEC). If we were to assume the amount of fuel burned is the same as the amount of fuel imported, emission estimates from burning fossil fuels using the Cargo Report would be simple. However, due to both fluctuations in the Cargo Report data from year to year and some issues with data quality (discussed in detail in Appendix A), this is not the only data source relied upon. Instead, a combination of Cargo Report data and activity data is used (Table 5).

ACTIVITY DATA

Activity data is data that allows us to estimate how often certain emissions-related activities take place in Sitka. Using activity data, emissions are calculated from the ground up by estimating how often certain activities take place and what levels of emissions are caused by those activities. Each emission source's activity data comes from a variety of sources with a variety of uncertainties, which are outlined in each section.

Breaking fuel and emissions down into specific categories helps determine which policy mechanisms or community actions can have the highest impact in reducing emissions. Policy mechanisms can include incentivizing building energy efficiency measures and electrifying vehicles, buildings, or boats. For example, understanding the emissions tied to heating residential housing can determine the emissions impact of incentivizing home electrification measures.

In 2022, Sitka imported an estimated...




Figure 12: For simplification, this report uses the term diesel in place of "Distillate Fuel Oil", which includes diesel used for transportation and heating (Diesel #1 and #2). Most of the fossil fuel imported to Sitka is diesel.

DATA VALIDATION

Throughout the process of conducting this inventory, the best available data was used, and assumptions were updated iteratively with help from knowledge members of the Sitka community. Once emissions were calculated from both the fuel import and activity data, they were compared. Since both fuel import data and activity data have limitations, comparing the two forms of data helped improve estimates. Each time assumptions were updated, estimates were verified by checking that activity data fell within reasonable estimates as compared with fuel import data. In addition, we compared the total amount of fossil fuels using sales tax information. The total sales were consistent with the USACE Cargo Report. For recreational fishing vessels, seaplanes, small planes, helicopter trips, and for other activities for which there was limited activity data, the estimates relied more on Cargo Report data.

LIMITATIONS

How Accurate is Sitka's Greenhouse Gas Emissions Inventory?

GHG inventories are a strategic tool and are not 100% accurate, nor do they have to be. While some information necessary for developing GHG emissions inventories is readily available, other information is not as easy to obtain. While doing additional research may improve some estimates, the improvements are often small compared to the resources needed to create the most accurate inventory possible.

Sitka's GHG emissions inventory uses a combination of commonly used data sources and community sources, such as data from CBS departments and surveys, or local organizations with expertise. Where data gaps remained, **assumptions** were created based on CBS Sustainability Commission feedback and public comment. Throughout this report, the confidence of an emission estimate is clearly stated.

What are Assumptions?

Gaps in data are a challenge in conducting a GHG emissions inventory, especially for larger-region inventories where data availability is less consistent. Assumptions, or numbers derived from available information and research, are used to fill data gaps. Assumptions in GHG reports are common, especially for harder-to-track sectors, such as marine and air travel. Fortunately, GHG inventories are a living document and can be updated as new information or more accurate data becomes available. This inventory should be updated accordingly.



Photo of Molly Grear, PNNL, presenting information about Sitka's GHG inventory to the Sustainability Commission

CONFIDENCE LEVELS

How do you know how accurate a GHG emission estimate is?

For this inventory, each estimate includes the inputs used to create the assumptions that were used to calculate the emissions and the data sources. These data sources were ranked based how detailed they were, and the kind of information provided. Once all the sources were ranked, the overall emissions category was also ranked based on the quality of the inputs. If they fell between levels, the score was rounded down to the lower confidence level.

Confidence Level	Rationale
Great	Values with this ranking use values that are unlikely to need to be adjusted in the future, except in response to major community changes or changes to scientific understanding. Datasets used were specific to Sitka and contained detailed information or were not dependent on Sitka-specific data. EPA emission factors are an example.
Good	Values used may be specific to Sitka but may have been aggregated and some detail obscured, or the inputs are research-based and adapted to Sitka based on additional information and community input if provided. While more information would improve the estimate, the overall impact would likely be small, and these inputs are still justifiable with a general understanding.
OK	The value was not specific to Sitka. Additional, better, or more local data could improve the estimate, but the overall impact would likely be small unless additional inputs were also changed. These inputs are still justifiable with a general understanding.
Poor	Information was likely unavailable or too obscure to be useful for creating the input. More or better data could improve the estimate, and the overall impact could be meaningful to the category.

Table 6: Categories of the confidence level and descriptions

Arial photo of the back of the Blue Lake dam

SUMMARY OF ASSUMPTIONS AND CONFIDENCE

The following tables provide a summary of the confidence levels of each input for each emission source. Details about each input can be found in the methodology section for that source.

Scope 1

Emission Source	Assumption Inputs				
Electricity Generation - Great					
Hydroelectricity	123,035 MWh from hydroelectricity				
Diesel Backup	9,975 gallons of diesel used in generators	86.9 gallons of diesel needed to generate 1 MWh			
Building Heating - Good					
Residential	3,513 occupied houses	1,689 sf average	76MMBtu/sf of heating energy	41% of houses use fuel oil	
Commercial	2.3 million sf of building space	75% of the space requires heating	25 kBtu/sf of heating energy	51% of buildings use fuel oil	
Ground Transportation - Good					
All Vehicles	8,132 conventional vehicles	70% of vehicles are actively driven	Avg 4 miles are driven daily	Avg fuel efficiency by vehicle type	Vehicles are active 350 days
Public Transportation	13,945 gallons of gas used by The RIDE				
Cruise-related Transportation	140,000 miles driven by buses	100 vehicles permitted at HCH	25% of tourists take a tour	Each tour is ~20 miles	
Marine Activity - Good					
Commercial Fishing	510 vessels participate	95% are active	Vessel Fuel efficiency (varies)		
Recreational Fishing	~1,500 vessels registered	66% are active	540 miles traveled per year	Fuel efficiency of 3 mpg	
Charter Boats	7,920 trips	25 miles per trip	Fuel efficiency of 2.5 mpg		
Wastewater Treatment - Great					
Residents	8,380 residents	0.009g/ N ₂ O per day			
Seasonal Visitors	694 equivalent year-round residents				

Table 7: Summary of confidence levels for all emission sources included in Scope 1.

Scope 2

Scope 2 Emissions are not applicable to Sitka. See page 48 for details.

Scope 3

Emission Source		Assumption Inputs		
Solid Waste Disposal - Great				
Municipal Solid Waste (MSW)	7,618 tons of waste	240 tons of recycling	Mixed MSW emissions factor	Recycling emission factor
Shipping - Great				
Marine/Barge Transport	117,658 tons of materials shipped and received	1,000 miles on a barge to/from Seattle	1 gallon of diesel moves 1 ton 650 miles	
MSW/Recycling Disposal	7,858 tons of material to Seattle			
Air Transport	46,658 tons of materials to/from Sitka	850 miles from Seattle to Sitka	0.00109 MTCO ₂ e per Ton-mile emission factor	
Air Travel – Good				
Mainline Flights	40,586 revenue passenger miles (RPM)	67% of flights are medium-haul 32% are short-haul	Weighted average emission factor 0.159 MTCO ₂ e/ RPM	
Seaplanes, Small Planes, Helicopters	657,784 gallons of kerosene imported	Aviation fuel emission factor 0.84kg MTCO ₂ e/gal	80% of imported fuel is used for this sector	
Cruise Ship Emissions – Good				
Cruise Ship Hotel	9 hours average time in port	29% Hotel MCR	Installed power (kW) and generator efficiency varies	
Cruise Ship Maneuvering	4 hours average approaching/leaving Sitka	54% Propulsion MCR		
Number/Types of Cruise Ships	333 scheduled trips	39 ships		

Table 8: Summary of confidence levels for all emission sources included in Scope 3.

HOW TO READ THIS INVENTORY

This inventory is structured and written to be easily understandable and not require extensive knowledge on GHG emission inventories or the science behind it. As such, the following sections are highly visual and are presented in a way that is intended to be easily digestible.

Before beginning, please keep in mind two things:

The numbers and percentages are rounded and may not add up perfectly. For ease of reading, each section utilizes only whole numbers, there may be instances where percentages add to 99% or 101%. Similarly, MTCO₂e are also rounded, and may not add up exactly.

The amount of fossil fuels used will not perfectly match the estimated total of imported fuels. In 2022, it was estimated that Sitka imported 5.2 million gallons of fossil fuels⁹. Each section converts emissions into total gallons of fuel, and, if possible, fuel type. Since the 5-year cargo report is reported in short tons and not gallons, there is some room for conversion differences depending on the density of the fuel. Similarly, the same amount of fuel is not imported each year and the fuel used may carry over in some years (See Appendix A for more details). Lastly, some emission sources use data from both fuel imports and activity data, which accounts for emissions from fuel from other places used in Sitka.

Each emission source will have a one-page summary followed by a methodology section that details how inputs were created and more information about the sources used (Figure 13).




Figure 13: Example inventory page with notes on what different sections mean.



The backside of the Green Lake dam

SECTION 3


SCOPE 1: DIRECT EMISSIONS






Scope 1 SUMMARY




TOTAL OF GHG
EMISSIONS



Direct emissions that occur within Sitka's boundaries. These include emissions from electricity generation, buildings, vehicles, marine activity such as commercial recreational, and charter transportation fishing, and wastewater treatment.



ENERGY FLOW



Scope 1 SUMMARY


CONFIDENCE LEVELS OF ESTIMATIONS

Emission Source	Assumption Inputs				
Electricity Generation - Great					
Hydroelectricity	123,035 MWh from hydroelectricity				
Diesel Backup	9,975 gallons of diesel used in generators	86.9 gallons of diesel needed to generate 1 MWh			
Building Heating - Good					
Residential	3,513 occupied houses	1,689 sf average	76MMBtu/sf of heating energy	41% of houses use fuel oil	
Commercial	2.3 million sf of building space	75% of the space requires heating	25 kBtu/sf of heating energy	51% of buildings use fuel oil	
Ground Transportation - Good					
All Vehicles	8,132 conventional vehicles	70% of vehicles are actively driven	Avg 4 miles are driven daily	Avg fuel efficiency by vehicle type	Vehicles are active 350 days
Public Transportation	13,945 gallons of gas used by The RIDE				
Cruise-related transportation	140,000 miles driven by buses	100 vehicles permitted at HCH	25% of tourists take a tour	Each tour is ~20 miles	
Marine Activity - Good					
Commercial Fishing	510 vessels participate	95% are active	Vessel Fuel efficiency (varies)		
Recreational Fishing	~1,500 vessels registered	66% are active	540 miles traveled per year	Fuel efficiency of 3 mpg	
Charter Boats	7,920 trips	25 miles per trip	Fuel efficiency of 2.5 mpg		
Wastewater Treatment - Great					
Residents	8,380 residents		0.009g/ N ₂ O per day		
Seasonal Visitors	694 equivalent year-round residents				

Table 7: Summary of confidence levels for all emission sources included in Scope 1.

ELECTRICITY GENERATION

TOTAL OF GHG EMISSIONS



Sitka's Electricity Generation is 99.9% Renewable




Emission Source	MTCO ₂ e	Percent
-----------------	---------------------	---------


Hydroelectricity Emissions Avoided* 109,443 0%

Diesel Generators 102 100%

9,975 gallons of Diesel



~11,000,000 gallons of diesel avoided



Generation Source	MWh	Percent
-------------------	-----	---------

Blue Lake 80,992 65.8%

Green Lake 42,043 34.1%

Diesel Generators 111 0.09%

46%

HYDROELECTRICITY

Inputs	Amount	Calculation	Confidence
Generation	123,035 MWh	$\frac{\sim 86.9 \text{ gallons}}{\text{MWh generated}}$	Great
Diesel Avoided	10,686,820 gal		

<0.1%

BACKUP DIESEL GENERATOR

Diesel Used	9,975 gal	$\frac{10,240 \text{ g CO}_2\text{e}}{\text{gallon}}$	Great
-------------	-----------	---	-------

*Potentially avoided emissions were calculated by multiplying the amount of diesel needed to generate electricity using generator efficiencies reported by the CBS Electric Department by the EPA diesel emission factor⁴. The calculation does not include marginal emission factors.

ABOUT SITKA'S ELECTRICITY GENERATION

Sitka's electricity is generated by hydropower, which does not have emissions associated with its primary electricity generation. Backup diesel generators are available in case of long failures or outages. Any longer failures or outages of the dams resulting in diesel being burned for electricity lead to increased emissions from this source. Since the Blue Lake Expansion Project, no significant amount of diesel has been used to meet Sitka's electricity needs.

HYDROELECTRIC GENERATION

CBS runs two hydroelectric projects, which together produce 99.9% of Sitka's electricity. Power generation is split between the two projects, with the Blue Lake Project generating about two-thirds of the power.

The Blue Lake Hydroelectric Project has three vertical 8.5 MW turbines and can produce 15.9 MW of electricity. In 2014, the Blue Lake Expansion Project was completed, which raised the dam 83 ft to its maximum height of 425 ft. This increased the amount of water stored in the reservoir. The expansion also upgraded the turbines, penstock, and powerhouse. Blue Lake is also the primary source of Sitka's water.



Aerial photo of the Blue Lake dam with the reservoir lake spilling over the top.



The Green Lake Hydroelectric Project has two horizontal 9 MW turbines and can produce 18 MW of electricity. The Green Lake Project was originally built in 1982 as the Blue Lake Project neared its generation capacity. It has been running nearly continuously since.



Aerial photo of the Green Lake Powerhouse.

BACKUP DIESEL GENERATION

CBS has 27 MW of diesel generators to act as backup to the hydroelectric projects. These generators are exercised periodically throughout the year to ensure they are available if needed. The amount of fuel fluctuates slightly year to year but does not significantly change the amount of emissions from the generators when compared to the total electricity produced by the hydroelectric projects. The five-year average of emissions from diesel generators is 159 MTCO₂e (Figure 14).







Figure 14: Sitka's back-up diesel emissions over 5 years

BUILDING HEATING

TOTAL OF
GHG EMISSIONS




Combustion of fossil fuels for space heating, water heating, and cooking.



Emission Source	MTCO ₂ e	Percent
Residential	8,808	84%
Commercial	1,640	16%




~1,000,000 gallons of diesel



RESIDENTIAL BUILDINGS

Inputs	Amount	Source	Confidence
Occupied Houses	3,513	Alaska Housing Finance Corporation ¹⁰	Great
Average Size Square feet (sf)	1,689 sf (5.8 million total)	2024 CBS Assessing Department Records	Good
Average Heating Energy heating and hot water	76 MMBtu/sf	EIA Residential Energy Consumption Survey, averaged between AK and WA ¹²	OK
Building Heat Source Fuel Oil	41% of houses	2023 utility bill analysis	Good

Calculation $\frac{\text{number of occupied houses}}{\text{house}} \times \frac{\text{avg heating energy}}{\text{house}} \times \% \text{ houses using fuel oil} = \text{residential heating energy from fuel oil}$



COMMERCIAL BUILDINGS

Commercial Building Square-footage	2.3 million sf	2024 CBS Building Assessment Records	Great
% of Building sf w/ Space Conditioning	75%	Assumed based on typical commercial buildings	Good
Average Heating Energy per sf for commercial bldgs	25 kBtu/sf	EIA Commercial Buildings Energy Survey ¹¹	OK
Building Heat Source Fuel oil	51%	2023 utility bill analysis	Good

Calculation $\frac{\text{total sf of commercial buildings}}{\text{space conditioning}} \times \% \text{ of SF with space conditioning} \times \frac{\text{avg heating energy}}{\text{sf}} \times \% \text{ of buildings using fuel oil} = \text{commercial heating energy from fuel oil}$

METHODOLOGY



Buildings have emissions associated with their electricity and fuel oil consumption. Since Sitka's electricity generation is supplied from hydropower, which has no emissions associated with its generation, the building emissions are solely from combustion that occurs onsite for the purposes of space heating, domestic hot water (DHW), and cooking. Since energy data for every building's space heating, DHW, and cooking is unavailable, we estimated their associated emissions based on square footage (sf), electricity utility bills, fuel source, and energy intensity estimates for homes and commercial spaces from the Energy Information Administration (EIA) ¹¹.

AVERAGE HEATING ENERGY

RESIDENTIAL BUILDINGS

Sitka is more temperate than the majority of Alaska. To avoid overestimating Sitka's residential heating requirements, metrics for space heating and hot water were averaged between Alaska and Washington's energy consumption profiles from the EIA Residential Energy Consumption Survey (RECS)¹² (Table 9). **The total amount of energy used by residential buildings is estimated to be 266,988 MMBtu/yr.**

ENERGY USE	AK	WA	Avg	SITKA
Heating MMBtu	81	30	56	Avg AK and WA
Hot Water MMBtu	25	15	20	
TOTAL MMBtu	106	45	76	

TEMPERATURE

Winter Avg °F	21°	43°	32°	39°
Summer Avg °F	54°	65°	60°	56°

Table 9. MMBtu for major energy needs in Alaska and Washington and their average, which is used for Sitka. When compared to the average seasonal temperatures of each location, the energy average between AK and WA is close to Sitka's seasonal averages.

COMMERCIAL BUILDINGS

Since Sitka does not have a large industrial footprint, commercial and industrial buildings were combined. City Assessing Department data shows a footprint of 2.3 million square feet for Sitka's commercial and industrial buildings. To account for spaces that are either unoccupied (especially seasonally) or are used as warehouses or storage space and not space conditioned (heating or cooled), we assume that 75% of commercial buildings' square footage is actively used year-round and conditioned. The EIA estimates that commercial buildings in mixed-to-cold climates use, on average, 25 kBtu/SF for space heating¹¹. **This results in the total amount of energy used by commercial building estimated to be 42,418 MMBtu/yr.**

CONFIDENCE LEVEL: OK

Metrics related to humans and generalized for the entire state of Alaska are often skewed towards Southcentral as it is the most populated region. While this is somewhat fixed with the average, it is not based on local data, however, it is still justifiable with general understanding. More research into energy use in Sitka would improve the estimate but would likely have a small impact on the results.



BUILDING HEAT SOURCE

To calculate how much of this energy is from fuel oil, which diesel is a type of, and produces emissions, the fuel source of the building must be determined. In U.S. homes, space heating and water heating combined account for more than 28% of household electricity use¹². Since air conditioning is not common in Sitka, and space heating is seasonal due to the mild climate, it can be assumed the heating accounts for an even higher percentage of electricity use in the winter. Homes that heat with electricity will have a significant difference between summer and winter electrical consumption. While some houses' monthly electricity data may be influenced by changes in occupancy (e.g. decrease of energy one month from traveling out of town), these fluctuations even out across the large number of households. Similarly, houses that have multiple heating sources (heat pumps and baseboards), or that use primarily fuel oil for heat and use supplemental heaters, also likely evens out.

UTILITY BILL ANALYSIS

To estimate how many buildings use electricity as their primary heat source, utility bills from 2023 were analyzed with the following logic: if the average electricity consumption over the summer months (June, July, August) was 50% lower than the winter months (November, December, January), the building was determined to have an electric heat source (*Figure 15*). If houses were not heated by electricity, they were assumed to be heated by fuel oil and, in the case of residential buildings, a small percentage by wood. In all cases, it is assumed that if a building has electric heat, it also has electric hot water.





Figure 15. Utility bill analysis can be used to determine which homes use electricity and fuel oil heat for heating.



UTILITY BILL ANALYSIS RESULTS

Residential Heat Sources



Commercial Heat Sources




Figure 16. Most homes in Sitka use electric heat while most commercial buildings use fuel oil.

LIMITATIONS

RESIDENTIAL BUILDINGS: The 50% seasonal change works best to capture homes heated with less efficient electric heat sources, like resistive heaters and boilers. Heat pumps, which are becoming increasingly common and are far more efficient than other electric heat sources, may not always cross the 50% threshold and may be incorrectly categorized as a fuel oil home. While the number of heat pumps and their exact impact on electrical consumption in Sitka is not known, they can use up to two-thirds less energy than other electric systems (Figure 17). Because of this, 41% is likely an overestimate of homes that are heated by fuel oil.




Figure 17. Example of how heat pumps may be incorrectly categorized as fuel oil due to their efficiency.


COMMERCIAL BUILDINGS: The limitations on commercial buildings are similar to residential buildings. While this approach works best for stores that are open year-round, some of Sitka’s largest commercial consumers are seafood processing plants, whose consumption is greatest in late summer.

CONFIDENCE LEVEL: GOOD


Additional analyses on local residential and commercial building heating systems could improve assumptions. This could also have other benefits for CBS and residents and businesses.

GROUND TRANSPORTATION

TOTAL OF GHG EMISSIONS



Combustion of fossil fuels for vehicles.




138 MTCO₂e avoided by EVs

Emission Source	MTCO ₂ e	Percent
Cars and SUVs	2,280	52%
Trucks, Vans, Buses	2,097	48%
Motorcycles, ATVs, etc.	10	<1%

Fuel Types

Gas	~414,000	3,767	86%
Diesel	~70,000	747	14%

Fuel Use by Vehicle Types



Vehicle Type	Fuel			Total
	Gas	Diesel	Electric	
Cars and SUVs	5,222	221	0	5,443
Trucks, Vans, Buses	2,423	339	0	2,762
Light Duty	2,309	202	0	2,511
Medium Duty	251		0	232
Heavy Duty	0		0	19
Motorcycles, ATVs, etc.	148	0	0	148
Total	7,765	367	221	8,353

VEHICLE EMISSIONS

Inputs	Amount	Source	Confidence
Conventional Vehicles	8,132	2024 AK DMV	Great
Actively Driven Vehicles	70%	Assumption based on AK DOT Traffic AADT ¹⁴	Good
Avg Daily Miles Driven	4 mi/day	CBS Short-term Tourism Plan End of Season Survey ¹³	Great
Avg Fuel Efficiency	20 mpg (Cars) 15 mpg (Trucks) 6 mpg (Heavy-Duty) 30 mpg (ATV)	Adjusted from U.S. avg efficiency report ¹⁵	OK
Active Days per Year	350 days (Vehicles) 80 days (ATV)	Assumption	Good

Calculation $\frac{\text{number of active vehicles}}{\text{year}} \times \frac{\text{total miles driven}}{\text{year}} \times \frac{\text{miles}}{\text{gallon}} = \text{gallons of fuel used by vehicles}$

METHODOLOGY



A list of every vehicle identification number (VIN) registered in Sitka was provided by the Alaska Department of Motor Vehicles (DMV) and was decoded using the National Highway Traffic Safety Administration's (NHTSA) Vehicle Product Information Catalog and Vehicle Listing (vPIC) tool. **8,353 vehicles** had valid VINs and were decoded to find the following information:

VEHICLE TYPES AND CLASSIFICATIONS

The NHTSA classifies all vehicles into six categories, while the Federal Highway Administration and (FHA) categorizes all vehicles by weight (GVWR) as either light, medium, or heavy-duty. Neither completely translate to how the public use these terms. For example, the NHTSA defines anything that can carry more than ten people as a bus, and anything designed to carry cargo as a truck. While all passenger cars and SUVs are considered light-duty, a "pickup" truck is considered a body style and can be considered either light or medium-duty depending on weight. To learn more about how these classifications vary between agencies, see Appendix B.


FUEL TYPES

Vehicles were categorized as powered by either gasoline, diesel, or electricity. Plug-in hybrid electric vehicles (PHEV) were considered all electric as many PHEVs have batteries capable of driving 20-30 miles. With limited roads, these vehicles were assumed to primarily run on electricity.

Similarly, while 145 vehicles in Sitka are "fuel-flexible" they were categorized given that gasoline as is it generally cheaper and given high-ethanol gasoline is not widely available.


2.6% of all vehicles in Sitka are electric, with 201 battery electric vehicles (BEV) and 20 PHEVs. When compared to population, that puts Sitka as a top adopter of EVs in the country. The number of EVs is also rising. Since 2022, the number of EVs in Sitka has increased by 75% and could reach over 450 EVs in 2030.

Sitka is a leader in EV adoption



Runner Ups: Washington (1.8), Hawai'i (1.7), Oregon (1.4), Alaska (0.5, 40th place)

The number of EVs in Sitka could more than double by 2030



Figs 18 & 19. Sitka is one of the highest EV adopting communities and is only expected to grow.



DAILY MILES TRAVELED

The 2022 Short-term Tourism Plan End-of-Season Survey asked respondents to estimate where they lived and worked. The distance between each point was estimated, and based on the 466 valid responses, the average Sitkan traveled 4 ± 2.5 miles per day or ~ 1,400 miles a year¹³. (Figure 20).

For heavy-duty vehicles, 4 miles per day was used and supplemented with additional information provided from local operators with heavy-duty vehicles.

Most Sitkans Drive <4 Mi per Day
or ~1,400 mi per year, about 10% of the U.S. Avg.




Figure 20. The estimated daily travel in Sitka is between 1.5 and 6.5 miles per day¹⁰.

CONFIDENCE LEVEL: GREAT

Information was provided directly from the DMV in September 2024. While some errors existed in the VINs, the overall numbers remained close to annually reported numbers from the DMV. In combination with the 2022 Short Term Tourism Plan End-of-Season survey, these inputs are built with local information.

ACTIVE VEHICLES

The Alaska Department of Transportation (DOT) monitors annual average daily traffic (AADT) on major roads year-round at three sites in Sitka¹⁴ (Figure 21). Based on the average volume of 7,310 AADT, and to adjust for vehicles passing through multiple points or for vehicles used multiple times a day, **it is estimated that about ~6,000 (70%) vehicles are used consistently throughout the year.**




Figure 21. Annual Average Daily Traffic (AADT) stations in Sitka.

CONFIDENCE LEVEL: GOOD

Not all vehicles that are registered are frequently driven. AADT is a measurement of volume and does not directly convert to vehicles driven. Additional local information could improve these estimates but given the large sample size and low overall emissions from vehicles, the impact would be small.



ACTIVE DAYS PER YEAR

Most vehicles are not driven every day of the year. Active days per year was set at 350 days out of 365 days, or about 95%. This is about 2 weeks of inactivity, which could include weekends vehicles were not driven or longer vacations. Motorcycles and ATVs were adjusted to 80 days, or about 2.5 months, to account for weather and seasonal usage. While extended out of town travel is common for many Sitka residents, this likely evens out due to the large data set used.

Vehicles in Sitka are ~33% more active in the summer than in the winter




Figure 22. Graphic showing seasonal traffic volume changes in Sitka. Volumes are highest in June and lowest in December¹⁴.

CONFIDENCE LEVEL: GOOD

While this data isn't locally sourced, it is a reasonable assumption to account for inactivity. While local data would improve the estimate, changes to overall emissions would be minimal.

FUEL EFFICIENCY

The average fuel efficiency for cars in the United States is 24 miles per gallon (mpg), which is combined between low-speed driving and frequent stops (city) and high-speed driving with few stops (freeway)¹⁵. Because of the lack of long-distance driving in Sitka, the overall mpg was lowered to reflect the driving conditions of Sitka.

Avg Fuel Efficiency of Vehicles in the U.S. (Miles per Gallon)




Figure 23. Fuel efficiencies for different vehicle types used in Sitka's GHG emission inventory (green circles) vs national avg¹².

CONFIDENCE LEVEL: OK


These numbers are based on national averages and not local data. More local data would improve the method of calculation which would better account for efficiency differences or other changes, but such changes would have minimal impacts on overall emissions. This estimate is still justifiable with general understanding.

ADDITIONAL TRANSPORTATION ANALYSES

Emissions from these analyses are not an *addition* to the previously counted ground transportation emissions but rather a *portion* of those emissions.

PUBLIC TRANSPORTATION

Public transportation in Sitka is offered through The RIDE, which is operated by the Sitka Tribe of Alaska (STA). Information provided by STA stated that in **2023, 13,945 gallons of gasoline was used for buses, resulting in 143 MTCO₂e.**




CONFIDENCE LEVEL: GREAT

Quantity and type of fuel used is the most preferred and accurate level of data possible.

TOURISM-RELATED GROUND TRANSPORTATION EMISSIONS

TRANSPORTATION TO DOWNTOWN

Information provided by Sitka Dock Company LLC stated that in 2023, the bus fleet drove 140,000 miles. Large motorcoach-style buses are heavy-duty (6 mpg). This results in **~23,300 gallons of diesel and 238 MTCO₂e.**




CONFIDENCE LEVEL: GOOD

Data provided for transportation to downtown was reported in miles traveled, not gallons of fuel.

TOUR TRANSPORTATION

According to Harrigan Centennial Hall, there are 100 permits for small passenger vans or buses to load/unload tourists. Most of these are medium-duty (15 mpg). Assuming one in four tourists (~25%) takes a tour of ~20 miles, this results in **~13,300 gallons of fuel, or 137 MTCO₂e.**

Destination	MTCO ₂ e	Percent
● To Downtown	238	5%
● Tours	137	3%




CONFIDENCE LEVEL: OK


Data for tour transportation was based on estimated capacity of tour vehicles operating on cruise ship days and may be slightly overestimated. While additional data would improve this estimate, the impact would likely be small.

MARINE ACTIVITY


TOTAL OF
GHG EMISSIONS



Commercial fishing, recreational fishing and boating, and charter boats.




Emission Source	MTCO ₂ e	Percent
Commercial Fishing	15,363	84%
Recreational Boats	2,256	12%
Charter Boats	711	4%



Fuel Types	MTCO ₂ e	%
Gas ~459,000 gal	4,078	22%
Diesel ~1,400,000 gal	14,252	78%

Fuel Use by Vessel Types



12% COMMERCIAL FISHING

Inputs	Amount	Source	Confidence
Vessels	510	State of AK Commercial Fishing Database ¹⁶	Great
Active Vessels	95%	Assumption	Good
Fuel Efficiency	Variable	See Appendix C for details	OK

2% RECREATIONAL BOATS

Vessels	~1,500	2024 AK DMV Boating Registrations	OK
Active Vessels	66%		OK
Miles Traveled	540/miles/year/boat	Assumptions	Good
Fuel Efficiency	3 miles/gallon		OK

1% CHARTER BOATS

Number of Trips	7,920 trips	2023 Charter Boat Logbook, Sitka Area Management, Division of Sport Fish	Great
Miles per Trip	25 miles	Assumption	Good
Fuel Efficiency	2.5 miles/gallon		OK

Calculation $\frac{\text{number of active vessels or trips}}{\text{year}} \times \frac{\text{total miles driven}}{\text{year}} \times \frac{\text{miles}}{\text{gallon}} = \text{gallons of fuel used by vessels}$

METHODOLOGY



Fishing is a large portion of Sitka's economic activity and boating is a significant aspect of Sitka's lifestyle. However, marine activity is challenging to quantify as vessels come into Sitka Sound or other from elsewhere, and some of Sitka's vessels leave the nearby area. For Scope 1 emissions, only activity from Sitka's registered vessels is included. Shipping is included in Scope 3 section.

VESSEL CLASSIFICATIONS


In 2023, the Alaska DMV reported that **2,167 motorized boats were registered in Sitka.**

510 of those vessels were related to commercial fishing¹⁶. Of the registered vessels, 71% were diesel engines, 28% gas, and 1% left no answer. Given the importance of commercial fishing in Sitka, a detailed breakdown is provided in Appendix C.

142 vessels were used for fishing charters. According to feedback from the community, most of these are gas-powered. Some diesel charter boats do exist but how many is unknown.

The remaining ~1,500 vessels were assumed to be for recreational boating and fishing, with a small number of "unclassified" vessels. Information on these vessels, like the U.S. Coast Guard Cutter, was unavailable and not included in this inventory.

Most Vessels in Sitka are Used for Recreation



Most Commercial Fishing Vessels in Sitka Have Diesel Engines




Figure 24. Most vessels in Sitka are for recreational use, but the fuel type is unknown. Most commercial vessels in Sitka use diesel.

OVERALL CONFIDENCE: GOOD

Commercial and Charter: GREAT The number of commercial fishing vessels and charter boats were provided by the State's Commercial Fishing Database and the Department of Fish and Game (AKDFG), Sitka Area Management Division of Sport Fish's charter boat logbook.

Recreational: OK More detailed, local data would improve the number of recreational boats and their fuel efficiencies and would better distinguish recreational and other vessels, such as search and rescue and larger tour vessels that operate in Sitka. Depending on the level of data available, this could change overall emissions in this category or create new categories, but the extent is unknown. This estimate is still justifiable with general understanding.



ACTIVE VESSELS

Similar to vehicles, not all boats were assumed to be used. Fortunately, the number of active charter vessels was provided by the AKDFG Sitka Area Management Division. For commercial fishing, 5% of vessels were assumed inactive and 66% assumed inactive for recreational boats.

CONFIDENCE LEVEL: GOOD

While this data isn't locally sourced, it is a reasonable assumption to account for inactivity. While local data would improve the estimate, changes to overall emissions would be minimal.

MILES TRAVELED & FUEL EFFICIENCY

To determine emissions of marine activity in Sitka, information about the miles traveled and fuel efficiency of vessels must be determined, however, this information is not readily available. For the purposes of this inventory, the following assumptions were used:

Charter boats: 25 miles per trip, 2.5 mpg. 25 miles is a reasonable distance for day trips around Sitka Sound. 2.5 mpg is a conservative estimate. With 7,920 reported trips, this results in 79,200 gallons of fuel. Based on community input, charter boats primarily run on gasoline, although some diesel charter boats exist.

Recreational boats: 540 miles per year, 5 mpg. In this assumption, we assume that most boats take an average of 20-mile trips, 4 times per month, 6 months per year. This equals about 540 miles per boat. The fuel efficiency for recreational boats is 5 mpg, or approximately the fuel efficiency of a 20-ft aluminum Hewescraft. This results in about 254,000 gallons of fuel which is assumed to be primarily gasoline.


Commercial Fishing: In addition to the challenges that affect all boats, commercial vessels' fuel efficiency can also drastically differ depending on the kind of gear used and the vessel activity depends on the kind of fisheries that are opened, which can vary drastically from year to year. Data from the Vessel Energy Analysis Tool (VEAT) by Kempy Energetics¹⁷ was used to estimate the fuel efficiency of a variety of fishing boats that take into account gear type and other factors with a full breakdown available in Appendix C. This resulted in 1,393,760 gallons of diesel and 124,619 gallons of gasoline.

CONFIDENCE LEVEL: OK


This data was based on research and not actualized local information, which was unavailable. More detailed, local data would improve the miles traveled and fuel efficiencies, however the impact on emissions is unknown. Given the complexity and lack of physical boundary for marine activity, this estimate is still justifiable with general understanding.

WASTEWATER TREATMENT

TOTAL OF GHG EMISSIONS



Nitrous oxide (N₂O) from the biological treatment process of wastewater.



Emission Source	MTCO ₂ e	Percent
Residents	8	93%
Seasonal Visitors	0.6	7%

METHODOLOGY

Sitka’s Wastewater treatment does not have nitrification or denitrification processes. Wastewater treatment emissions are calculated based on the total population served and type of treatment, using the federal GHG wastewater reporting methodology and corresponding emission factor¹⁸. Although the emissions from wastewater is small, it is included for completeness.

WASTEWATER EMISSIONS

Inputs	Amount	Source	Confidence
Residential Population	8,380	2023 U.S. Census Bureau	Great
Seasonal Visitors	694*	*Assuming 607,000 tourists spend ten hours in Sitka equates to this many people year-round residents	Good
Emission Factor	0.009 g N ₂ O /person/day	Federal GHG Accounting and Reporting Guidance	Great

Calculation $Number\ of\ People \times \frac{0.009g}{person} \times 365\ days = g\ of\ N_2O$

CONFIDENCE LEVEL: GREAT

Scientific understanding of emissions associated with wastewater treatment plants is evolving. Using this emission factor is still considered best practice under current guidelines.

CONFIDENCE LEVEL: GOOD

This metric assumes every visitor to Sitka uses a facility connected to Sitka’s sewer system. This is likely overestimated, however, given the small amount of emissions from this source, additional refinement to this section would not change emissions significantly.



High-voltage transmission lines (not in Sitka)

SECTION 4

SCOPE 2: INDIRECT EMISSIONS | ELECTRICITY *NOT APPLICABLE*



Scope 2 SUMMARY

TOTAL OF
GHG EMISSIONS

N/A




Figure 25 : Sitka's electric grid (orange line) is not connected to any other community

SITKA DOES NOT HAVE ANY Scope 2 EMISSIONS

Scope 2 emissions are indirect emissions associated with energy that is generated outside of Sitka's boundaries but consumed within Sitka's boundaries. Most commonly, Scope 2 emissions are from GHGs that are burned in power plants outside the boundaries of an area, but supply electricity via the grid connection (Figure 25 and 10). Because Sitka generates all electricity locally, there are no Scope 2 emissions.




Figure 10: Sitka's categories of GHG emissions differ from standard methodologies.





The Green Lake powerhouse on Silver Bay

SECTION 5


SCOPE 3: INDIRECT EMISSIONS





Scope 3 SUMMARY




TOTAL OF GHG
EMISSIONS




Indirect emissions that occur outside of Sitka as a result of activities taking place within the boundary. Because Sitka is an island, certain Scope 3 emissions were included to more accurately reflect the community. These include solid waste, shipping via barge and air, air travel, and cruise ships.



TOTAL FUEL



ENERGY FLOW



Scope 3 SUMMARY


CONFIDENCE LEVELS OF ESTIMATIONS

Emission Source	Assumption Inputs			
Solid Waste Disposal - Great				
Municipal Solid Waste (MSW)	7,618 tons of waste	240 tons of recycling	Mixed MSW emissions factor	Recycling emission factor
Shipping - Great				
Marine/Barge Transport	117,658 tons of materials shipped and received	1,000 miles on a barge to/from Seattle	1 gallon of diesel moves 1 ton 650 miles	
MSW/Recycling Disposal	7,858 tons of material to Seattle			
Air Transport	46,658 tons of materials to/from Sitka	850 miles from Seattle to Sitka	0.00109 MTCO ₂ e per ton-mile emission factor	
Air Travel – Good				
Mainline Flights	40,586 revenue passenger miles (RPM)	67% of flights are medium-haul 32% are short-haul	Weighted average emission factor 0.159 MTCO ₂ e/ RPM	
Seaplanes, Small Planes, Helicopters	657,784 gallons of kerosene imported	Aviation fuel emission factor 0.84kg MTCO ₂ e/gal	80% of imported fuel is used for this sector	
Cruise Ship Emissions – Good				
Cruise Ship Hotel	9 hours average time in port	29% Hotel MCR	Installed power (kW) and generator efficiency varies	
Cruise Ship Maneuvering	4 hours average approaching/leaving Sitka	54% Propulsion MCR		
Number/Types of Cruise Ships	333 scheduled trips	39 ships		


Table 8: Summary of confidence levels for all emission sources included in Scope 3.

MUNICIPAL SOLID WASTE


TOTAL OF GHG EMISSIONS



Decomposition of organic matter in landfills



Emission Source	MTCO ₂ e	Percent
Municipal Solid Waste	4,418	99%
Recycling	22	<1%



Barge Shipping 130 *
Barge Export Shipping Emissions

*this is not included in the total emissions for solid waste but is accounted for under shipping on page 54.

MUNICIPAL SOLID WASTE (MSW) EMISSIONS

Inputs	Amount	Source	Confidence
MSW Shipped	7,618 tons	Republic Services 2023 Summary	Great
Recycling Shipped	240 tons		
Mixed MSW Emission Factor	0.58 MTCO ₂ e/ton	EPA Emissions Factor ⁴	
Recycling Emission Factor	$\frac{0.09 \text{ MTCO}_3\text{e}}{\text{ton}}$		

Calculation $\left(\frac{\text{tons of MSW}}{\text{ton}} \times \frac{0.58 \text{ MTCO}_2}{\text{ton}} \right) + \left(\frac{\text{tons of recycling}}{\text{ton}} \times \frac{0.09 \text{ MTCO}_2}{\text{ton}} \right) = \text{Emissions from Solid Waste}$


SHIPPING

Inputs	Amount	Source	Confidence
Distance Traveled	1,000 miles	Assumption of approximate one-way distance from Sitka to Seattle	Good
Miles one gallon can move one ton	650 miles		
Diesel Consumed to Transport to/from Sitka to/from Seattle	$\frac{1.54 \text{ gallons}}{\text{ton}}$	Texas A & M Transportation ²⁰	Great


Calculation $\text{Tons of Waste Transported} \times \frac{1.54 \text{ gallons}}{\text{ton}} = \text{gallons of diesel to transport waste to seattle}$

TRANSPORTATION SHIPPING


TOTAL OF GHG EMISSIONS



Emissions from transporting goods to and from Sitka via plane and barge.



Emission Source	MTCO ₂ e	Percent
Air Cargo	43,229	96%
Barge	1,854	4%
Received Goods (<i>Imports</i>)	1,094	2.5%
Shipped Goods (<i>Exports</i>)	760	1.5%
Solid Waste and Recycling	130	0.3%



Fuel Types			
	Kerosene	~4,200,000	43,229 96%
	Diesel	~180,000	1,854 4%

34% AIR CARGO

Inputs	Amount	Source	Confidence
Freight/Mail	46,658 tons	Bureau of Transportation Statistics	Great
Distance	850 mi	Estimated Distance from Seattle to Sitka	
Emission Factor	0.00109 MTCO ₂ e/ Ton-mile	EPA Emission Factor ⁴	
Calculation	$\text{Tons of Freight/Mail} \times \text{Distance Traveled} \times \text{Emission Factor} = \text{emissions from air shipping}$		

1% BARGE


Inputs	Amount	Source	Confidence
Tons of Materials Shipped and Received	117,658 tons	USACE Cargo Report ⁹	Great
Distance Traveled	1,000 miles	Assumption of approximate one-way distance from Sitka to Seattle	Good
Miles one gallon can move one ton	650 miles		
Diesel Consumed to Transport to/from Sitka to/from Seattle	$\frac{1.54 \text{ gallons}}{\text{ton}}$	Texas A & M Transportation ²⁰	Great
Calculation	$\text{tons of material transported} \times \frac{1.54 \text{ gallons}}{\text{ton}} = \text{gallons of diesel to transport to/from Sitka}$		

METHODOLOGY




Sitka is dependent on shipping for nearly all goods. Emissions from shipping are considered Scope 3 and are not always included in GHG inventories because of the difficulties estimating and lack of available information. It should be noted that although expensive, barge shipping is highly efficient when compared to other transportation. This is because more material can be loaded on ships compared to other forms of shipping, like trains, trucks, or planes. Similarly, air shipment is both expensive and extremely emission intense (Figure 26).

SHIPPING TO SITKA VIA AIR EMITS 42 TIMES MORE EMISSIONS THAN BY BARGE



Most of the material shipped to/from Sitka was by **barge**...



MATERIAL VS EMISSIONS

...but almost all of shipping emissions were from **air cargo**.

Figure 26: Comparison of emissions between shipping methods to Sitka.

AIR CARGO

The amount of freight and mail that arrives, and departs, from Sitka via mainline carriers (see page 60 for definition) is reported to the Bureau of Transportation Statistics¹⁹ but is not divided into import and exports like with barge shipments. **In 2023, Sitka shipped and received 46,658 tons of freight and mail by air¹⁹** (Figure 27).

TONS OF AIR CARGO IN 2023




Figure 27: Sitka gets more air cargo in the winter months. This is consistent with the rest of the country when holidays increase the amount shipped.

OVERALL CONFIDENCE: GREAT

This estimate uses data reported from the Bureau of Transportation Statistics that is specific to Sitka. While the kinds of goods shipped and received would be insightful, they do not impact the estimate of emissions.



BARGE SHIPMENTS

According to the 2022 Cargo Report, **Sitka shipped and received 118,000 tons of material via barges⁹**. Materials moved on waterways are categorized with **commodity codes** as described by the Waterborne Commerce of the United States²¹. These four-digit numbers include information about broad categories of goods but contain some details about the cargo (*Figure 28 and Table 10*).




Figure 28: Groceries were the single biggest import to Sitka while fish was the biggest export.

Commodity Category	Examples
Petroleum Fuels and Products	Gasoline, diesel, kerosene, asphalt, tar, pitch
Chemicals and Related Products	Alcohols, some plastics, paints, chemical additives
Crude Materials	Inedible items, excludes petroleum Includes lumber, iron, salt, sand, gravel
Primary Manufactured Goods	Paper products, pipes, glass, metal sheets
Foods and Farm Products	Animal-sourced proteins, fruits, vegetables and other edible grocery items, alcoholic beverages, animal feed
Equipment, Machinery and Other Manufactured Goods	Electronics, vehicles, boats, aircrafts, parts, other machinery, clothes, plastic products
Waste Material	Garbage and landfill-destined items


Table 10: Definitions of commodity categories used in the Cargo Report^{9, 21}.

OVERALL CONFIDENCE: GOOD


Though the shipping distance may vary based on agencies or material, it is a reasonable assumption to account for stops in other communities. While using distances of specific routes would improve the estimate, changes to overall emissions would be minimal. Although the emissions factor is not specific to Southeast barges, it is based on a large dataset over a long period of time. More specific would improve the estimate, but changes to overall emissions would be minimal.

TRANSPORTATION AIR TRAVEL

TOTAL OF
GHG EMISSIONS




Emissions from commercial, personal, cargo, and general aviation.



Emission Source	MTCO ₂ e	Percent
Mainline Flights	6,445	54%
Seaplanes, Small Planes, Helicopters	5,359	46%



~1,200,000 gallons of kerosene




MAINLINE FLIGHTS

Inputs	Amount	Source	Confidence
Revenue Passenger Miles (RPM)	40,586	Rocky Gutierrez Airport T-100 Segment Data, Bureau of Transportation Statics ²²	Great
Flight Distance	67% Medium-haul 32% Short-haul	Rocky Gutierrez Airport T-100 Segment Data, Bureau of Transportation Statics ¹⁹	
Flight Emission Factor	0.159 MTCO ₂ e/ RPM	EPA Emission Factor, weighted avg been short and medium-haul flights ⁴	

Calculation

$$\text{number of RPM} \times \text{flight emission factor} = \text{emissions from commercial air travel}$$



SEAPLANES, SMALL PLANES, HELICOPTERS

Total Imported Kerosene	657,784 gallons	USACE 2022 Cargo Report ⁹	OK
Aviation Fuel Emission Factor	0.84kg MTCO ₂ e/gal	EPA Emission Factor ⁴	Great
% of Imported Kerosene Used	80%	No supporting data	Poor

Calculation

$$\text{gallons of kerosene used} \times \text{aviation fuel emission factor} = \text{emissions from sea planes, small planes helicopters}$$



Because Sitka is on an island, air travel is the primary mode of transportation to anywhere outside the city. This inventory includes emissions from aviation fuel combustion occurring within the city boundary and from portions of one-way transboundary journeys outside the city boundary (e.g., a flight to New York that has a layover in Seattle).

MAINLINE FLIGHTS

Ideally, this estimate would be calculated based on the amount of fuel used on flights destined for or originating from Sitka; however, that data is not reported to entities like the Federal Aviation Administration (FAA). Instead, this estimate uses available metrics reported by airlines with a method known as passenger-miles and associated emission factors. This section only includes mainline airlines that report to the Bureau of Transportation Statics¹². In 2023, that included Alaska Airlines and Delta Air Lines. Commercial travel for small planes/seaplanes is not reported and therefore not included in section. Instead, commercial travel by seaplanes is included in seaplanes, small plane, and helicopter category, which generally lacks specific information.

REFUELING IN SITKA

The 5-Year Cargo Report shows Sitka imported 658,000 gallons of kerosene in 2022, which, in its highly refined form, is a type of jet fuel. This jet fuel is used for smaller, more local air travel such as seaplanes, small personal planes, and helicopters used for Coast Guard or medical evacuation. Emissions from burning this jet fuel are 5,359 MTCO₂e. However, according to community feedback, the Sitka Rocky Guitierrez Airport does some portion of refueling on-site, meaning some portion of this fuel imported goes toward refueling mainline air carriers at the airport. However, requests to obtain on-site refueling information from Alaska Airlines were unsuccessful. For this report, it is estimated that 20% of fuel in Sitka is used by mainline carriers, as it is assumed most of the fuel is used locally.

REVENUE PASSENGER MILES

Revenue passenger miles (RPM) is a metric reported by airlines that combines air traffic volume and distance traveled. For example, a plane with 100 passengers that travels 500 miles generates 50,000 RPM. For simplicity, RPM is reported in thousands. That means Sitka's 40,586 RPM represents 40,586,000 miles and includes flight segments arriving to and departing from Sitka. This metric should not be confused with Available Seat Miles (ASM), which measures total carrying capacity.




AIR TRAVEL HAUL EMISSION FACTORS

The distance a plane travels impacts its fuel efficiency. EPA emission factors are divided into three categories based on distance (Table 11). Flights to/from Sitka can be categorized as either short-haul (SIT-JNU, ~100 mi) or medium-haul (SIT-SEA, ~850 mi). For this inventory, the factor used is a weighted average of 67% medium-haul and 32% short-haul flights. Reporting for air taxi/seaplanes is optional and makes up ~1% of reported flights²² (Figures 28 and 29).

Haul	Distance (mi)	MTCO ₂ e per RPM
Short	<300	0.22
Medium	≥300 - <2,300	0.13
Long	≥2,300	0.17

Table 11: Seattle was the most common destination from Sitka and is considered a medium-haul flight.

Top Destination Airports and Haul-Distance



Most of Sitka’s Flights are Considered Medium-Haul

*Other reported Southeast communities include Klawock, Kake, Wrangell, Petersburg, Port Alexander and Port Armstrong. Graphic does not reflect actual flightpaths.




Figure 29 & 30: Destinations from the Sitka Rocky Gutierrez Airport and haul-category.

OVERALL CONFIDENCE: GREAT

This estimate uses Sitka-specific data. While the emission factor for aviation is considered accurate, this estimate is likely slightly underestimated, as the emissions factor and reporting is specific to mainline carriers. Even so, it is justifiable with general understanding.



SEAPLANES, SMALL PLANES, HELICOPTERS

This section includes seaplane flights, including commercial passenger flights with fewer than 60 passengers and any associated cargo, as well as A29 Seaplane Base (float planes, which are Alaska Seaplanes and float planes for hire). The estimate assumes that 80% of jet fuel shipped to Sitka is used for these aircrafts.

OVERALL CONFIDENCE: NEEDS WORK

This estimate assumes that 80% of the jet fuel in Sitka goes to this sector with no additional supporting data. Details about flights, passengers, cargo, etc. could be impactful to this section and could be significant. It is unknown how additional data would affect the estimate.

FUTURE AIR TRAVEL WORK

This data is included in case additional information becomes available regarding refueling and local air travel in Sitka. The Sitka Rocky Gutierrez Airport tracks and report flights to the FAA. However, the FAA categories do not separate passenger flights, cargo flights, or track distances. As such, flight data provided by the Sitka Rocky Gutierrez Airport did not contain required information to quantify emissions from specific types of aviation but did provide some insight into the kinds of flights that take place. The following category descriptions are interpreted from official definitions provided by the FAA and contextualized for Sitka (*Figure 30 and Table 12*).


Commercial Air Carriers: Aircraft with a seating capacity of more than 60 passengers or a payload of >18,000 lbs that carry passengers and/or cargo. This includes mainline passenger jets and large cargo planes.

Commercial Air Taxis/ Seaplanes: Aircraft with a seating capacity of fewer than 60 or a payload of <18,000 lbs that carry passengers and/or cargo. This includes seaplanes and other small planes.

Military: Operations performed by military aircraft. The size and type of aircraft can vary widely depending on what operation is performed.

General Aviation: Private or rented civil aircraft used for recreation, training, or other private uses. These are generally smaller aircraft but may include small personal jets.

Half of flights in Sitka are commercial flights for passengers and/or cargo




Type	Number of Flights
Commercial Air Carrier	1,812
Air Taxi/Seaplane	9,860
Military	1,325
General aviation	10,342
Total in 2023	23,339

Figure 31 & Table 12: Types of flights to/from Sitka.

INDUSTRY CRUISE SHIPS



Emissions from cruise ships entering, docking, and leaving Sitka.



Emission Source	MTCO ₂ e	Percent
Cruise Ship in Port	23,510	69%
Cruise Ship Maneuvering	10,562	31%



~3,300,000 gallons of diesel

Inputs	Amount	Source	Confidence
Avg Maneuver Time	4 hours	Historical Automatic Identification System (AIS)	Good
Avg Hours in Port (Hotel)	9 hours avg	2024 cruise ship schedule	Great
Propulsion MCR	25%	Input from cruise captain	Good
Hotel MCR	29%	Input from cruise captain	Good
Installed Power (kW) of Ship	Varies	Models from Alaska Cruise Schedule and additional research	Great
Generator Efficiency	Varies (grams of diesel/kWh)		

Calculation $\text{Hours in Sitka} \times \text{MCR \%} \times \text{Installed power} \times \text{Generator efficiency} = \text{Gallons of diesel used by a cruise ship}$

METHODOLOGY



The cruise industry accounts for a large portion of Sitka's economic activity. Cruise ships do not draw power from Sitka's port, and they do not refuel in Sitka; however, they burn fuels while in port in Sitka. Although this combustion happens within Sitka's boundaries, it is standard practice in GHG reporting to count emissions from intercity or international trips as Scope 3 emissions. Only GHG emissions for cruise ships are reported. Additional pollutants such as nitrogen oxides (NO_x), sulfur oxides (SO_x), and fine particulate matter emissions (PM 2.5) are not included²³.

The schedule of cruise ships that visit Sitka each year includes specifics on dates, times, and names of ships. **In 2024, there were 333 scheduled trips to Sitka from 39 ships carrying ~600,000 passengers.**

TIME SPENT IN SITKA

BOUNDARY: To better understand the emissions produced within Sitka, a line connecting Cape Edgecumbe and Biorka Island served as Sitka's "boundary" (Figure 31).

MANEUVERING TIME: The time necessary for a cruise ship to approach Sitka, dock, and leave Sitka. Historical data from the Automatic Identification System (AIS), a system used to track ships, indicated that the average maneuver time for a cruise ship was four hours.

HOURS IN PORT: The 2024 cruise calendar times were analyzed and found that the average time spent in Sitka was nine hours.

CRUISE SHIPS ENGINES - MCR

Cruise ships use diesel engines to generate electricity, which is then used to power all aspects of the ship. Similar to generators, these operate at different loads depending on what the ship is doing. **How much an engine runs is reported as the maximum continuous rating (MCR) in the form of a percentage.** To estimate emissions, two MCRs are used, one while the ship moves and one while the ship is docked. The MCR estimates were provided by cruise ship captains and were noted to be slightly conservative.

On average, cruise ships spent 13 hours in Sitka.




Figure 32. Map of cruise ship emission boundary and included parameters (orange).



PROPULSION: The power that is needed to run the diesel-electric motors that spin the propellers that move the ship. This was reported to be **25% MCR** (Figure 32).

HOTEL: The power that is needed to run lighting, air conditioning, and other amenities on cruise ships while stationary. This was reported to be **29% MCR** (Figure 32).




Figure 33: Cruise ships spend most of their time at the Hotel level of MCR.

OVERALL CONFIDENCE: GOOD

This estimate uses time-based information, researched data, and input from operators of cruise ships; however, each cruise ship operates differently, and information on propulsion is generalized. Improved data on fuel usage would improve the estimate, but the impact would likely be small.

CRUISE SHIP-RELATED GROUND TRANSPORTATION EMISSIONS

This is a subset of the emissions already considered from trucks and buses in the ground transportation section of Scope 1. This means emissions from tourism-related ground transportation are not an *addition* to the previously counted ground transportation emissions but rather a *portion* of these emissions. **This specific section of transportation resulted in ~36,600 gallons of gasoline/diesel and 375 MTCO₂e per year, or ~8% of ground transportation emissions.** Details of the methodology used can be found on page 42).



The Blue Lake reservoir

SECTION 6

REFERENCES AND APPENDICES

This document is primarily adapted from:

Mott, Andrea R., Trueworthy, Ali M., Grear, Molly E., Gabel, Bri, & De Jong, Erik. (2025). Sitka Energy Inventory. DOI: 10.2172/3013576

Note: Due the availability of new information during the publishing process, some numbers may or many not be included and/or differ slightly.

REFERENCES

- ¹U.S. Environmental Protection Agency (EPA) *Overview of Greenhouse Gases Website*: <https://www.epa.gov/ghgemissions/overview-greenhouse-gases>.
- ²IPCC. (2023). *Climate Change 2023: Synthesis Report*. Contribution of Working Groups I, II and III to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change [Core Writing Team, H. Lee and J. Romero (eds.)]. IPCC, Geneva, Switzerland, pp. 35-115, DOI: [10.59327/IPCC/AR6-9789291691647](https://doi.org/10.59327/IPCC/AR6-9789291691647).
- ³Greenhouse Gas Protocol. (2022). *GHG Protocol for Cities*. <https://ghgprotocol.org/ghg-protocol-cities>.
- ⁴Environmental Protection Agency (EPA). (2024). *EPA Emissions Factors*. <https://www.epa.gov/system/files/documents/2024-02/ghg-emission-factors-hub-2024.pdf>.
- ⁵Velthof, G.L., Kuikman, P.J. & Oenema, O. (2023). *Nitrous oxide emission from animal manures applied to soil under controlled conditions*. *Biol Fertil Soils* 37, 221–230. DOI:10.1007/s00374-003-0589-2.
- ⁶Barrett, T., M. (2014). *Storage and flux of carbon in live trees, snags, and logs in the Chugach and Tongass national forests*. General Technical Report. PNW-GTR-889. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. <https://research.fs.usda.gov/treesearch/45431>.
- ⁷Environmental Protection Agency (EPA). (2024). *Inventory of U.S. Greenhouse Gas Emissions and Sinks: 1990-2022* EPA 430R-24004. <https://www.epa.gov/ghgemissions/inventory-us-greenhouse-gas-emissions-and-sinks-1990-2022>.
- ⁸International Marine Organization. (2020). *Fourth Greenhouse Gas Study*. <https://wwwcdn.imo.org/localresources/en/OurWork/Environment/Documents/Fourth%20IMO%20GHG%20Study%202020%20%20Full%20report%20and%20annexes.pdf>.
- ⁹U.S. Army Corps of Engineers (USACE). (2022). *5-Year Cargo Report: Sitka Harbor*. <https://ndc.ops.usace.army.mil/wcsc/webpub/#/report-landing/year/2021/region/4/location/4808>.
- ¹⁰Alaska Housing Finance Corporation. (2017). *Alaska Housing Assessment: Sitka Borough*. https://www.ahfc.us/application/files/1215/1510/4582/Final_-_Sitka_Borough_Summary.pdf.
- ¹¹U.S. Energy Information Administration (EIA). (2023). *Heating U.S. commercial buildings is most energy intensive in cold climates*. <https://www.eia.gov/todayinenergy/detail.php?id=60301#:~:text=U.S.%20commercial%20buildings%20in%20cold,heating%20in%20each%20climate%20zone>.
- ¹²Residential Energy Consumption Survey (RECS). (2020). *Dashboard Website*: [https://experience.arcgis.com/experience/cbf6875974554a74823232f84f563253?src=%E2%80%B9%20Consumption%20%20%20%20Residential%20Energy%20Consumption%20Survey%20\(RECS\)-b1](https://experience.arcgis.com/experience/cbf6875974554a74823232f84f563253?src=%E2%80%B9%20Consumption%20%20%20%20Residential%20Energy%20Consumption%20Survey%20(RECS)-b1).
- ¹³City and Borough of Sitka, AK. (2022). *2022 Short-term Tourism End-of-Season Survey*.
- ¹⁴Alaska Department of Transportation Traffic (USDOT) *Analysis and Data Application Website*: <https://alaskatrafficdata.drakewell.com/publicmultinodemap.asp>.
- ¹⁵U.S. Department of Energy (DOE). *Alternative Fuels Data Center Website*: <https://afdc.energy.gov/data/10310>.
- ¹⁶State of Alaska Commercial Fisheries Entry Commission (CFEC) *Public Search Application Website*: <https://www.cfec.state.ak.us/plook/#permits>.
- ¹⁷Kemp, C., 2018. *Vessel Energy Analysis Tool (VEAT)*. <https://kempyenergetics.com/white-paper/white-paper-example-1/>.
- ¹⁸Federal Greenhouse Gas Accounting and Reporting Guidance, Council on Environmental Quality, 2016: https://www.sustainability.gov/pdfs/federal_ghg%20accounting_reporting_guidance.pdf.
- ¹⁹Bureau of Transportation Statistics. *TransStats: Sitka Rocky Gutierrez (SIT) Website*: https://www.transtats.bts.gov/airports.asp?20=E&Nv42146=fVg&Nv42146_anzr=fv6xn,%20NX:%20fv6xn%20e1pxB%2076vr44rC&pn44vr4=SNPgf.
- ²⁰Texas A&M Transportation Institute, *A modal Comparison of Domestic Freight Transportation Effects on the General Public: 2001–2014*. (2017). <https://nationalwaterwaysfoundation.org/file/31/final%20tti%20report%202001-2014%20approved.pdf>.
- ²¹United States Army Corps of Engineers (USACE). (2018). *Commodity codes (Waterborne Commerce of the United States) Cross Reference*. USACE Digital Library, RN 735-17c.
- ²²Bureau of Transportation Statistics. *TransStats: Revenue Passenger-miles Sitka Rocky Gutierrez (SIT) Website*: <https://www.transtats.bts.gov/DataElements.aspx?Qn6n=H>.
- ²³F. Murena, L. Mocerino, F. Quaranta, and D. Toscano. (2018). *Impact on air quality of cruise ship emissions in Naples, Italy*. *Atmospheric Environment*, Volume 187, pages 70–83, ISSN 1352-2310. DOI: [10.1016/j.atmosenv.2018.05.056](https://doi.org/10.1016/j.atmosenv.2018.05.056).

APPENDIX A: USING THE USACE CARGO REPORT

Due to the fluctuations in the Cargo Report data, we primarily rely on activity data. However, we still use Cargo Report data for validation of assumption and filling in gaps for sectors without adequate activity data (e.g. air travel). We use data from the USACE's Cargo Report from 2022 for the port labeled "Sitka Harbor." Because of some changes in how the cargo data are reported as of 2021, the 5-Year Cargo Report data required some interpretations. We provide justification for 1) why we used "Sitka Harbor" vs. "Sitka Ports and Harbors" or a combination of the two, 2) why we use the year 2022, and 3) why we use the standard that we do when comparing calculations from activity data to fuel imports data.

1. In 2021, USACE began reporting data for "Sitka Harbor" and "Sitka Ports and Harbors," as opposed to just "Sitka Ports and Harbors" prior to 2021. What counted under "Sitka Ports and Harbors" prior to 2021, became counted under "Sitka Harbor" in 2021 and 2022. What became "Sitka Ports and Harbors" in 2021 and 2022 we believe to be a subset of what is counted under "Sitka Harbor." We believe the new "Sitka Ports and Harbors" counts only the docks, ports, and harbors within the jurisdiction of the Sitka Ports and Harbors Commission. These assumptions are supported by the following evidence:
 - a. The port called "Sitka Harbor" (2022, 2021) and the port called "Sitka Ports and Harbors" prior to 2021 are described in the same way on the USACE website: "Section Included: From the Alaska Lumber & Pulp Co. Mill in Silverbay on the south to Starrigavan Bay on the north including the Sitka Central Waterfront and Japonski Island. Controlling Depth: 22 feet at mllw in western channel and 10 feet in small boat basin. Project Depth: 22 feet in western channel; 10 feet in small boat basin and approach channel. All depths refer to mllw." (Note: mllw = mean lower low water.)
 - b. The port called "Sitka Ports and Harbors" in 2021 and 2022 includes "Section Included: From the southern point of Crescent Harbor to the southern point of the Sitka Airport runway, then north and east along the coast of Alice, Charcoal, and Japonski Island, thence west along the breakwater, then following the western coast of Baranof Island to the point of completion," which is the same language used to describe the jurisdiction of the Sitka Ports and Harbors Commission in Sitka's General Code.¹
 - c. These descriptions indicate there could be imports coming in between Starrigavan Bay and the northernmost point of Baranof Island. However, there are only four USACE navigation units in that area: St. John Baptist Bay,

¹ Sitka's General Code 13.05.030 <https://sitka.municipal.codes/SGC/13.05.030>.

Salmonberry Cove, Kalinin Bay, and Katlian Bay²; none of these areas has infrastructure for importing goods.

- d. Looking at the years 2016–2020, the data published under “Sitka Ports and Harbors” match the data in the 5-Year Cargo Report from 2022 “Sitka Harbor.”
2. We use 2022 data for two reasons:
 - a. It was the most recent year for which data was available during the curation of this inventory.
 - b. The 2022 data have the least fuel in the category of “Petro Products NEC,” meaning we do not need to “guess” whether those fuels are gasoline, diesel, and so on.
 3. We assume the following acceptable ranges for determining if the estimates from activity data align with the estimates from the imported fuel data (Table A-7). In general, we apply wide ranges because of the variability in the cargo report data, considering data from 2002 to 2022 but favoring more recent data. There are several forms of variability in the data that impact our decisions about acceptable ranges:
 - a. There is wide variation in the total amount of fuels imported per year. Figure A-3 shows the net imports of fuels (receipts minus shipments). From this figure, we can assume not all fuels imported in a certain year are used in that year and some industries import over cycles longer than a calendar year. The total net fuel imports between 2002 and 2022 range from 11,308 gal in 2008 to 52,637 gal in 2015. The average import over those years was 25,785. However, before we center the acceptable range around this average, we must consider potential changes in fuel use over time.
 - b. From Figure A-4, we can see peaks in imports happen about every 4 years. To smooth these peaks and consider changes to fuel imports over time, we calculate a 4-year moving average. Each data point represents the average of the year labeled and the 3 years prior. For instance, the data point for 2022 is the average of all net fuel imports from 2019 to 2022. The 4-year moving average of the total fuels imported into Sitka from 2005 until 2022 shows a slight downward trend in fuel imports. For this reason, we shift the acceptable range of total fuels downward from the 21-year average.
 - c. As shown in Figure A-4, there is also a high variability in gasoline, diesel, and Petro. Products NEC. It appears during the time frame of 2015–2020, some amount of both diesel and gasoline were counted in the Petro. Products NEC category. This poses a challenge for estimating the acceptable ranges for individual fuels. As with the numbers for total fuels, we form a range around

² USACE Complete Dock List from Navigation and Civil Works Decision Support (NDC) Library.
<https://ndclibrary.sec.usace.army.mil/resource/b625649b-4c33-46a2-fadf-d263f02ebf63>.

the average, this time excluding data from 2015 to 2020, then we shift the range downward to more closely reflect recent data.

- d. Kerosene began to be counted in 2015.
- e. The reason we define our ranges through this semi-systematic method, as opposed to using a more rigid statistical method, is because a rigid methodology is both unnecessary for our purposes and it tends to imply a certain meaning or certainty to data that, in our case, does not accurately reflect reality.

Table A-7. Acceptable Ranges for Fuel Import Estimates

Fuel	2022 Net Import (short tons)	Average (years counted in average; short tons)	Acceptable Low Range (short tons)	Acceptable High Range (short tons)	Acceptable Range (gallons)	Acceptable Range (MTCO_{2e})
Gasoline	5,942	12,829 (2002-2015)	5,000	13,000	1.6-4.3 million	14,000-38,000
Kerosene	2,197	1,289 (2015-2022)	700	2,500	0.2-0.8 million	2,100-7,600
Distillate fuel	10,265	14,125 (2002-2015)	9,000	15,000	2.5-4.2 million	23,000-38,000
All fuel	18,438	25,785 (2002-2022)	14,500	27,200	N/A	N/A

For each fuel listed in the first column, we note the net import of that fuel in 2022, the average net import over the years noted, and the minimum and maximum of our acceptable range in short tons. The final two columns show range converted to gallons and MTCO_{2e} and rounded to two significant figures. If our estimation of the fuel used is within the range, we consider it acceptable. To determine if the total fuels are in range, we convert back to short tons.




Figure A-3. A 4-year moving average of the net total fuel imports into Sitka, where the point above 2022 represents the average from 2019 to 2022, the point above 2021 represents the average from 2018 to 2021, and so forth.




Figure A-4. Net fuel imports into Sitka 2002–2022 based on USACE cargo reports

APPENDIX B

Vehicle Weight Classes & Categories

Gross Vehicle Weight Rating (GVWR) (lbs)	Federal Highway Administration		US Census Bureau
	Vehicle Class	GVWR Category	VIUS Classes
> 6,000	Class 1: < 6,000 lbs	Light Duty < 10,000 lbs	Light Duty < 10,000 lbs
10,000	Class 2: 6,001 – 10,000 lbs		
14,000	Class 3: 10,001 – 14,000 lbs		
16,000	Class 4: 14,001 – 16,000 lbs	Medium Duty 10,001 – 26,000 lbs	Medium Duty 10,001 – 19,500 lbs
19,500	Class 5: 16,001 – 19,500 lbs		
26,000	Class 6: 19,501 – 26,000 lbs		
33,000	Class 7: 26,001 – 33,000 lbs	Heavy Duty > 26,001 lbs	Heavy Duty > 26,001 lbs
> 33,000	Class 8: > 33,001 lbs		

Gross Vehicle Weight Rating (GVWR) (lbs)	EPA Emissions Classification			
	Heavy Duty Vehicle and Engines			Light Duty Vehicles
	H.D. Trucks	H.D. Engines	General Trucks	Passenger Vehicles
< 6,000	Light Duty Truck 1 & 2 < 6,000 lbs	Light Light Duty Trucks < 6,000 lbs	Light Duty Trucks < 8,500 lbs	Light Duty Vehicle < 8,500 lbs
8,500	Light Duty Truck 3 & 4 6,001 – 8,500 lbs	Heavy Light Duty Trucks 6,001 – 8,500 lbs		
10,000	Heavy Duty Vehicle 2b 8,501 – 10,000 lbs	Light Heavy Duty Engines 8,501 – 19,500 lbs	Heavy Duty Vehicle Heavy Duty Engine > 8,500 lbs	Medium Duty Passenger Vehicle 8,501 – 10,000 lbs
14,000	Heavy Duty Vehicle 3 10,001 – 14,000 lbs			
16,000	Heavy Duty Vehicle 4 14,001 – 16,000 lbs			
19,500	Heavy Duty Vehicle 5 16,001 – 19,500 lbs			
26,000	Heavy Duty Vehicle 6 19,501 – 26,000 lbs			

Gross Vehicle Weight Rating (GVWR) (lbs)	EPA Emissions Classification			
	Heavy Duty Vehicle and Engines			Light Duty Vehicles
	H.D. Trucks	H.D. Engines	General Trucks	Passenger Vehicles
33,000	Heavy Duty Vehicle 7 26,001 – 33,000 lbs	Medium Heavy Duty Engines 19,501 – 33,000 lbs		
60,000	Heavy Duty Vehicle 8a 33,001 – 60,000 lbs	Heavy Heavy Duty Engines		
> 60,000	Heavy Duty Vehicle 8b > 60,001 lbs	Urban Bus > 33,001 lbs		

These charts illustrate the vehicle weight classes and categories used by the Federal Highway Administration (FHWA), the U.S. Census Bureau, and the U.S. Environmental Protection Agency (EPA). The vehicle weight classes are defined by FHWA and are used consistently throughout the industry. These classes, 1-8, are based on gross vehicle weight rating (GVWR), the maximum weight of the vehicle, as specified by the manufacturer. GVWR includes total vehicle weight plus fluids, passengers, and cargo. FHWA categorizes vehicles as Light Duty (Class 1-2), Medium Duty (Class 3-6), and Heavy Duty (Class 7-8). EPA defines vehicle categories, also by GVWR, for the purposes of emissions and fuel economy certification. EPA classifies vehicles as Light Duty (GVWR < 8,500 lb) or Heavy Duty (GVWR > 8,501 lb). Within the Heavy-Duty class, there is a Medium Heavy Duty Diesel Engine class for engine-only certification, but no Medium-Duty Vehicle class. The September 2011 U.S. Department of Transportation (DOT)/EPA rulemaking on [Greenhouse Gas Emissions Standards and Fuel Efficiency Standards for Medium- and Heavy-Duty Engines and Vehicles](#) uses categories and weights for Heavy-Duty Vehicle Classes 2b through 8, similar to the FHWA weight classes.

APPENDIX C: COMMERCIAL FISHING ANALYSIS

This appendix provides additional information on the methodology used to generate the commercial fishing analysis.

C. 1 DETAILED COMMERCIAL FISHING ESTIMATES

This analysis aims to quantify the emissions of all fishing vessels that are home ported in Sitka, Alaska. Although some additional fishing vessels may come into Sitka Sound or other nearby areas to fish, some of Sitka's vessels leave the nearby area to fish. Claiming the emissions from Sitka's registered boats is an estimate for the emissions that are related to Sitka's economic activity. This analysis estimates the total number of gallons of fuel consumed by the fleet of active vessels registered in Sitka.

Information on Sitka-registered vessels was collected by downloading Alaska's commercial fishing database for 2023¹. This database contains both permits for various fisheries and vessels registered for commercial fishing. For the commercial fisheries in Alaska, this database contains additional data that may be useful for determining fuel consumption per year, including the year built, the hull type, the type of gear present on the boat, the dimensions, tonnage, engine type, and horsepower. Of the registered vessels in 2023, 71% were diesel engines, 28% gas, and 1% left the engine data field blank. Generally, gas-powered vessels are hand trollers or hand pickers, with a few power trollers or longliners; there are also some vessels registered as tenders that are reported as gas powered.

The total number of vessels operating out of Sitka in 2023 was 510. Some of these vessels were likely inactive for the year. We assume this is about 5% and that this percentage is even across the types of fisheries and boats. This percentage of inactive vessels can be changed in the Excel tool. From there, we need an estimate of the fisheries each vessel participates in for how many days per year and generally where they fish. Based on the types of gear present on each vessel, we made a general rule for how to quantify the fisheries each vessel participates in. The gear types we considered are as follows:

- Purse seine or ring net gear
- Gillnet gear
- Troll gear (power troll, mechanical jig, dinglebar)

¹ <https://www.cfec.state.ak.us/plook/#permits>.

- Longline gear
- Hand troll gear
- Pot gear
- Tenders
- Diving and handpicked.

Because most boats have multiple types of gear, we must assume some vessels fish multiple fisheries. Any vessel that has only one type of gear is assumed to fish only in that fishery. In addition, all vessels that have seine or gillnet gear are assumed to fish using that gear because it is more specialized. For vessels with troll and longline gear, only 50% of vessels with that gear in addition to other gear is estimated because we assume the troll and longline gear may sometimes be used for sport fishing or previous years' fisheries. Similarly, vessels that have hand gear as well as other gear types are assumed to not hand troll because the hand gear is likely just a recreational activity. Vessels that are labeled as tenders are assumed to operate as tenders at least some of the time and excluded from the counts of data with a single type of gear, but the tender vessels can be assumed to fish other fisheries if they contain multiple types of gear. These assumptions are summarized in Table C-1.

Table C-1. Assumptions for Estimating the Number of Vessels Operating in Each Fishery

Gear	Vessel Activity	Gear Code	Count With Only This Gear and Are Not a Tender	Count That Contains This Gear and Other Gear (can be a tender)	Estimated Number of Vessels Fishing in This Method	Notes
Purse seine, ring net	Fishing	01, 10	34	55	85	Assume 95% of vessels that have seine gear fish using that gear
Gillnet	Fishing	03, 04	12	23	33	Assume 95% of vessels that have gillnet gear fish using that gear
Troll and mechanical jigs	Fishing	15, 25, 26	102	281	237	Assume 95% of vessels that have only this gear, plus 50% of vessels that contain this gear
Longline	Fishing	06	13	215	120	Assume 95% of vessels that have only this gear, plus 50% of vessels that contain this gear
Hand troll	Fishing	05	41	85	39	Assume 95% of vessels that have only this gear but none of the vessels that have other gear
Diving or handpicking	Fishing	11, 12	14	65	33	Assume 95% of vessels that have only this gear and 30% of vessels that have other gear
Pot gear	Fishing	09	4	103	76	Assume 95% of vessels that have only this gear and 70% of vessels that have other gear
Tender	Tender packer	N/A	52		49	Assume 95% of vessels that are tenders operate as tenders

Next, we estimated the distance to the fishing areas for each fishery as well as the number of round trips to the fishing areas (Table C-2). These distances are variable based on individual fisherman as well as the type of fish being caught. In directly measuring vessel efficiency, Kempy Energetics reported vessels operating as longline and trollers with an approximate efficiency of 2.5 miles per gallon (MPG); this efficiency can change significantly based on the mode of operation (such as transiting or fishing). Smaller vessels such as diving, hand picking, and hand trollers are assumed to have higher efficiency. As vessels adopt more efficient practices or take other efficiency measures, the MPG could be updated to reflect this change in future iterations of the inventory.

Table C-2. Estimated Number of Round Trips by Fishing Type

Fishing Type	Estimated Number of Vessels Fishing in This Method	Approximate One-Way Distance to Fishing Areas (miles)	Number of Round Trips to Fishing Ground	Estimated Miles	MPG	Estimated Yearly Fuel Usage per Boat (gallons)
Purse seine, ring net	85	125	30	7,500	2	3,750
Gillnet	33	100	20	4,000	2	2,000
Troll and mechanical jigs	237	150	15	4,500	2.5	1,800
Longline	120	150	10	3,000	2.5	1,200
Hand troll	39	25	30	1,500	5	300
Diving or handpicking	33	25	30	1,500	5	300
Pot gear	76	25	30	1,500	4	375
Tender	49	150	50	15,000	1.5	10,000

To double check these assumptions, we used data from Kempy Energetics. They collected a series of data from the FVEAT tool where fishermen provided estimates of their annual fuel consumption or completed the tool to estimate their fuel usage. Table C-3 shows the estimates and average estimates for each fishing method.

Table C-3. Estimates and Average Estimates of Commercial Fishing Fuel From Fishermen

Fishing Type	Annual Gallons of Fuel Estimates From Fishermen	Average
Purse seine, ring net	7800, 6171, 1232, 3837	4760
Gillnet	600, 1490, 1716, 1721, 1615	1428
Troll and mechanical jigs	2900, 1850, 980, 2270, 3269, 2183, 1140, 1571, 620, 1228, 2320, 105, 368	1600
Longline	3000, 642, 1123, 382, 1404, 101, 105, 2320, 631	1079
Hand troll	N/A	N/A
Diving or handpicking	519, 302	410
Pot gear	314	314

Finally, we compared these two methods. Generally, both assumptions resulted in the same order of magnitude for the annual gallons of fuel per vessel, with differences in both positive and negative directions (Table C-4).

Table C-4. Self-Reported vs. Calculated Estimated in Commercial Fishing Fuel

Fishing Type	Self-Reported Estimates (gallons)	Calculated Estimates (gallons)	Percent Difference
Purse seine, ring net	4,760	3,750	21%
Gillnet	1,428.4	2,000	-40%
Troll and mechanical jigs	1,600.307692	1,800	-12%
Longline	1,078.666667	1,200	-11%
Hand troll	N/A	300	No comparison
Diving or handpicking	410.5	300	27%
Pot gear	314	375	-19%
Tender	10,852	10,000	8%

To make a final estimate of the total gallons of fuel consumed by the commercial fishing industry, we averaged the number of gallons between the two estimates, then estimated the percentage of the vessels powered by gas and diesel as reported by the vessel database (Table C-5).

Table C-5. Calculated Gallons of Diesel and Gasoline by Fishing Type

Fishing Type	Gallons of Fuel From Average of Two Estimates	Percentage Gas	Gallons Diesel	Gallons Gasoline
Purse seine, ring net	36,1675	0%	361,675	0
Gillnet	56,568.6	0%	56,568.6	0
Troll and mechanical jigs	402,936.462	10%	362,642.815	40,293.6462
Longline	136,720	10%	123,048	13,672
Hand troll	11,700	50%	5,850	5,850
Diving or handpicking	11,723.25	50%	5,861.625	5,861.625
Pot gear	26,182	30%	18,327.4	7,854.6
Tender	510,874	10%	459,786.6	51,087.4
TOTALS			1,393,760	124,619

C.2 ACTIVE CHARTER VESSELS IN SITKA

Table A-6 shows the number of active charter vessels annually in Sitka, which is tracked in a logbook accumulated by the Division of Sport and Fish in Anchorage. In the table, “Active Vessels” means vessels that ended a trip in Sitka proper at some point during the year, and “Number of Trips” means the total trips that ended in Sitka.

Table A-6. Number of Active Charter Vessels That Ended a Trip in Sitka Proper 2006–2023

Year	Number of Active Vessels	Number of Trips
2006	207	11,094
2007	199	10,888
2008	202	10,529
2009	172	7,040
2010	156	7,296
2011	151	7,211
2012	153	7,039
2013	146	6,713
2014	144	7,555
2015	142	8,008

Year	Number of Active Vessels	Number of Trips
2016	151	8,011
2017	164	8,401
2018	153	7,989
2019	159	8,020
2020	112	4,100
2021	128	7,685
2022	145	8,311
2023	142	7,920



CITY AND BOROUGH OF SITKA

Mission: *To provide public services for Sitka that support a livable community for all.*